

AUTHOR INDEX

- Alonso, A., 1233
- Bauman, D.E., 1197
Beck, S.A., 1187
Boris, J., 1191
Bryhn, M., 1177
- Calder, P.C., 1147
Caruso, D., 1223
Chapkin, R.S., 1163
- Eckert, G.P., 1239
- Flachs, P., 1177
- Galli, C., 1239
Grande, S., 1239
- Hibbeln, J.R., 1207
- Jensen, B., 1191
- Kopecky, J., 1177
- Lands, W.E.M., 1207
Llorach, R., 1239
Lock, A.L., 1197
- Martínez-González, M.Á., 1233
McMurray, D.N., 1163
Müller, W.E., 1239
- Nieminen, L.R.G., 1207
- Ochoa, J.J., 1223
Olsen, S.F., 1191
- Prazak, T., 1177
- Quiles, J.L., 1223
- Richardson, A.J., 1215
Rivera, D., 1239
Rossmeisl, M., 1177
Ruzickova, J., 1177
- Salvig, J.D., 1191
Schaffer, S., 1239
Secher, N.J., 1191
Sponarova, J., 1177
Stulnig, T.M., 1171
Switzer, K.C., 1163
- Tisdale, M.J., 1187
Tvrzicka, E., 1177
- Vecka, M., 1177
Visioli, F., 1239
- Wahle, K.W.J., 1223
- Zeyda, M., 1171



Volume 39 2004

Author Index

A

Abad, J.-L., 397
Abel, S., 963
Adachi, J., 891
Adlof, R.O., 1
Agellon, L.B., 343, 603
Agostoni, C., 633
Ahmad, I., 285, 595
Ahmad, M.U., 285, 595
Ahotupa, M., 507, 639
Aitzetmuller, K., 571
Akahoshi, A., 25, 601
Akimoto, N., 179
Akoh, C.C., 513
Ali, S.M., 285, 595
Alonso, A., 1233
Ambra, R., 459
Anderson, R.E., 1121
Angers, P., 985
Antonelli, A., 681
Antonopoulou, E., 1085
Appu Rao, A.G., 173
Arita, M., 1125
Arnault, N., 527
Arul, J., 985
Asselin, G., 985
Astorg, P., 527
Attar-Bashi, N.M., 929
Aubert, E., 75
Aukema, H.M., 207
Ayotte, P., 617
Azcan, N., 487

B

Babaei, S., 97
Bach, T.J., 723
Bahramian, N., 243
Balliano, G., 1007
Bankovic-Calic, N., 207
Banni, S., 1143
Bard, M., 747
Bartolini, G.L., 135
Başer, K.H.C., 487
Baskaran, V., 627
Battaglene, S.C., 215
Bauchart, D., 125
Bauman, D.E., 365, 1197
Baumgard, L.H., 537
Bautista, J.M., 1085
Beattie, J.R., 407, 897
Beck, S.A., 1187
Becker, C., 1

Beebe, P., 811
Belikova, N., 1133
Belkacemi, K., 985
Bell, J.G., 223
Bell, S.E.J., 407, 897
Belury, M.A., 1143
Bergeron, N., 985
Blasevich, M., 1143
Bondjers, G., 243
Bong, S.C., 561
Bordin, S., 857
Borgaard, C., 897
Boris, J., 1191
Borisenko, G.G., 1133
Boué, C., 325
Boukouvala, E., 1085
Brandt, M.M., 11
Brandsen, M.P., 215
Brummer, R.-J.M., 425
Bruneau, S., 617
Bryhn, M., 1177
Buisson, A., 441
Buisson, E., 441
Bütikofer, U., 355

C

Cabezas, J.A., 111
Cahu, C., 449
Calder, P.C., 1147
Camps, F., 397
Cao, J.-m., 849
Carballeira, N.M., 675
Carta, G., 1143
Caruso, D., 1223
Casaschi, A., 143
Castelluccio, F., 681
Castro, M.-D., 111
Catheline, D., 325
Chao, P.-M., 233
Chapkin, R.S., 1163
Chartré, M., 81
Chen, G.Q., 311, 865
Chen, T.-F., 433
Chen, Y., 1115
Cheng, T.O., 291
Cheon, Y., 1077
Cherian, G., 31
Chirala, S.S., 1045
Choo, Y.M., 561, 1031
Chou, D.-S., 433
Chuah, C.H., 561, 1031
Cimino, G., 681
Clandinin, M.T., 343, 603

Clouet, P., 849
Cobcroft, J.M., 215
Collomb, M., 355
Colombo, C., 633
Combe, N., 325
Conceição, L.E.C., 449
Conquer, J.A., 117
Cordeu, L., 1143
Cravotto, G., 1007
Crawford, M.A., 335
Cristea, M., 319
Cruz, H., 675
Cruz-Hernandez, C., 693
Cunningham, M., 389
Curi, R., 857
Czarnecki, S.K., 611
Czernichow, S., 527

D

De Angelis, L., 633
Degrace, P., 849
De Kock, M., 963
de Lima, T.M., 857
Delmonte, P., 185
Delplanque, B., 325
Delvin, E., 81
Dembitsky, V.M., 933
Demirci, B., 487
Demizieux, L., 849
Desvergne, B., 1093
de Veth, M.J., 365
de Villiers, C., 963
Dewailly, É., 617
Diez, A., 1085
Dinis, M.T., 449
Di-Poi, N., 1093
Dobrzyn, A., 1061
Drozdowski, L.A., 343, 603
Du, Z.-y., 849
Duan, Z., 37
Dugan, M.E.R., 693
Dunn, D.M., 161
Dunstan, G.A., 215
Durand, D., 125
Duval, S.M., 1

E

Eckert, G.P., 1239
Edelstein, C., 589
Eitsuka, T., 977
Elgersma, A., 693, 695

Ellen, G., 693, 695
Emken, E.A., 1
Erickson, K.L., 135
Evans, J.J., 273

F

Fabriàs, G., 397
Favre-Krey, L., 1085
Fearon, A.M., 897
Feldtrauer, J.-F., 723
Fénart, E., 325
Fezza, F., 193
Finazzi-Agrò, A., 193
Flachs, P., 1177
Fofanov, Y., 821
Fong, T.-H., 433
Franzblau, S., 675
Fujioka, K., 481
Fujishima, H., 1025
Fujita, T., 789
Fujiwara, Y., 179
Funae, R., 891

G

Galan, P., 527
Galli, C., 633, 1239
Gambaro, V., 633
Gangidi, R.R., 577
García, F., 389
Garda, H., 389
Garg, M.L., 545
Gavagnin, M., 681
Gelderblom, W.C.A., 963
Gentile, L., 811
Gerber, E., 723
Ghebremeskel, K., 335
Gilani, G.S., 601
Giner, J.-L., 763
Gingras, S., 617
Giovannini, M., 633
Giusto, N.M., 553
Gjøn, T., 649
Goeger, M.P., 31
Gong, H., 795
Gonzalez-Baró, M.R., 389
Gorjão, R., 857
Gottlinger, K., 1125
Goto, J., 873
Goto, T., 873
Grande, S., 1239
Gravotto, G., 1007
Gresti, J., 849
Grünari, J.M., 365
Gruffat, D., 125
Gupta, R.K., 881

H

Hamberg, M., 319, 565
Hartmann, M.-A., 723
Hashim, M.A., 1031
Hashimoto, K., 179
Hasselwanger, O., 537
Hatanaka, T., 1013, 1019
Hayakawa, M., 469
He, X., 311, 865
Hellgren, L.L., 833
Hemmerlin, A., 723
Henderson, R.J., 223

Henriksen, E.J., 537
Henry, J.H., 161
Hercberg, S., 527
Hermier, D., 325
Hernandez, E., 777
Herrington, H., 51
Hibbeln, J.R., 1207
Hicks, K.B., 769, 783
Hinman, J., 589
Hirota, Y., 789
Hoeffler, J.-F., 723
Hoff, H., 97
Hohl, R.J., 293
Holstein, S.A., 293
Holub, B.J., 617
Hong, S., 1125
Honig, A., 425
Hoppe, G., 97
Hossen, M., 777
Hoy, A.J., 955
Høy, C.-E., 195
Hsiao, G., 433
Hsu, C.-c., 843
Hsu, S.-C., 233
Huang, C.-j., 233
Huang, Y., 251
Hueso, P., 111

I

Ichinose, F., 25
Igarashi, M., 475
Igarashi, T., 43
Iida, T., 873
Ikawa, H., 977
Ikeda, I., 701, 827
Itabashi, Y., 1013, 1019, 1025
Itoh, N., 469
Iwamori, M., 43
Iwata, T., 25, 475

J

Jacobson, K., 1115
Jacques, H., 985
Jandacek, R.J., 993
Jen, K.-L.C., 441
Jensen, B., 1191
Jiang, J., 1133
Johnson, B.H., 821
Jones, P.J.H., 87
Jørgensen, M.H., 195
Juaneda, P., 19
Judge, M.P., 421
Jurjanz, S., 19

K

Kagan, V.E., 1133
Kajiwara, S., 67
Kallio, H., 507, 639
Kallio, H.P.T., 373
Kalo, P., 915
Kamido, H., 97
Kanagasabai, R., 737
Kaneko, M., 25
Kaneshiro, E.S., 753
Kanunfre, C.C., 857
Kara, M., 487
Kawashima, H., 265
Kelley, D.S., 135

Kemppinen, A., 915
Khan, I.A., 167, 659
Khan, S.I., 167, 659
Khor, H.T., 561
Kilkens, T.O.C., 425
Kim, I.-H., 383
Kini, V., 1133
Kishimoto, N., 789
Kitano, M., 789
Kizito, S.A., 801
Koba, K., 25
Kobayashi, K., 977
Kobayashi, T., 789
Kolkovski, S., 215
Kong, X., 239
Kopecky, J., 1177
Kostellow, A., 881
Kraemer, K., 537
Kraffe, E., 59
Kramer, J.K.G., 693
Krey, G., 1085
Krishna, U.M., 595
Kritchevsky, D., 611
Kuksis, A., 97, 915, 1013, 1019, 1025
Kuriyama, I., 977
Kurowska, E.M., 143
Kurvinen, J.-P., 507, 639
Kwong, C.D., 675

L

Lam, C.N.W., 583
Lam, H.S., 687
Lammi-Keefe, C.J., 421
Lampi, A.-M., 783
Lands, W.E.M., 1207
Largeau, C., 75, 491
Laurent, F., 19
Lauritzen, L., 195
Lavigne, C., 985
Lazarus, C., 1067
Leaver, M.J., 1085
Lee, G.-C., 513
Lee, J.-W., 383
Lee, K.-W., 383
Lee, S.-W., 383
Legrand, P., 325
Leung, R., 97
Levy, E., 81
Li, B., 907
Li, D., 929
Li, H., 239
Li, Y., 161, 1077
Li, Y.-J., 233
Liang, W., 51
Lie Ken Jie, M.S.F., 583
Lin, A., 811
Lin, C.-c., 843
Lin, C.-H., 433
Lin, F.-j., 233
Lin, J.-T., 311, 865
Lin, M.-p., 843
Lin, Z., 285
Liu, H., 239
Liu, J., 737
Liu, Y., 1037
Liu, Y.-j., 849
Liu, Y.X., 667
Llorach, R., 1239
Lock, A.L., 1197
Locy, R., 251
Lokesh, B.R., 627
Loosemore, E.D., 421

Losi, G., 185
 Lousberg, R., 425
 Lowy, C., 335
 Lu, J., 207
 Lu, Y.-J., 1055
 Lucas, M., 617
 Luo, Y., 907, 1037

M

Ma, A.N., 561, 1031
 Ma, G., 167, 659
 Maccarrone, M., 193
 MacDonald-Wicks, L.K., 545
 Mackey, B.E., 135
 Maes, M., 425
 Maharaj, N.J., 117
 Mahon, A., 1143
 Malone, M., 273
 Mano, N., 873
 Manthey, J.A., 143
 Mao, Z., 37
 Maoka, T., 179
 Marangoni, F., 633
 Martin, J., 441
 Martín, M.-J., 111
 Martínez-González, M.Á., 1233
 Martins, E.F., 857
 Martín-Sosa, S., 111
 Marty, Y., 59
 Matsuda, S., 1007
 McKeon, T.A., 311, 865
 McLennan P.L., 955
 McMurray, D.N., 1163
 Melis, M.P., 1143
 Meng, X., 37
 Metzger, P., 75, 491
 Michaelsen, K.F., 195
 Michalik, L., 1093
 Mikkelsen, T.B., 195
 Miller, A.L., 821
 Min, Y., 335
 Miyata, S., 873
 Miyazaki, M., 1061
 Miyazawa, T., 259, 475, 977
 Mizushima, Y., 977
 Moindrot, B., 849
 Monge, J.C., 97
 Monteils, V., 19
 Morais, S., 449
 Moreau, R.A., 701, 769, 783
 Morehead, D.T., 215
 Morise, A., 325
 Morrill, G.A., 881
 Morris, M.D., 687
 Moss, B.W., 407, 897
 Mossoba, M.M., 185
 Mouritsen, O.G., 1101
 Mu, H., 373
 Muckle, G., 617
 Müller, H., 833
 Müller, W.E., 1239
 Murru, E., 1143
 Mustafa, J., 167, 659

N

Nagao, T., 789
 Nagasaki, Y., 891
 Nagura, M., 43
 Naito, T., 891
 Nakagawa, K., 259

Nakagiri, H., 827
 Nakamura, M.T., 1077
 Nambara, T., 873
 Napier, J.A., 1067
 Nara, T.Y., 1077
 Nes, W.D., 701, 737
 Nesaretnam, K., 459
 Newsholme, P., 857
 Ng, M.H., 1031
 Nguyen, T.T.M., 737
 Nichols, P.D., 215
 Nicolosi, R.J., 611
 Nieminen, L.R.G., 1207
 Niki, E., 469
 Noiset, N., 527
 Nonaka, K., 25
 Ntambi, J.M., 1061
 Nyalala, J., 687

O

Ochoa, J.J., 1223
 Ogawa, S., 873
 Ogborn, M.R., 207
 Ogita, K., 475
 Ohira, A., 469
 Ohnishi, M., 265
 Okuyama, H., 1025
 Oles, C.J., 11
 Oliaro-Bosso, S., 1007
 Oliu, E.H., 319
 Ollilainen, V., 915
 Olsen, E., 833
 Olsen, S.F., 195, 1191
 Olsson, U., 243
 Ono, K., 259
 Or-Rashid, M., 693
 Østbye, T.K., 649
 Östergren-Lundén, G., 243
 Owen, A.J., 955

P

Parish, E.J., 701, 801, 805
 Parsons, W.D., 87
 Pasquaré, S.J., 553
 Pellizzon, M., 441
 Penn, J.S., 1121
 Peretti, N., 81
 Peter-Przyborowska, B.A., 955
 Petroni, A., 1143
 Pfaffinger, D., 589
 Pfeiffer, A.-M., 365
 Piironen, V., 783
 Pollero, R., 389
 Prazak, T., 1177
 Proctor, A., 577, 687
 Ptock, A., 537

Q

Qi, B., 1067
 Qi, H., 1037
 Qiu, Z., 801, 805
 Quiles, J.L., 1223

R

Rader, J.I., 11
 Radhakrishnan, A., 459

Ramaprasad, T.R., 627
 Ratnayake, W.M.N., 601
 Ravandi, A., 97
 Razak, G., 459
 Reimann, K., 459
 Resnick, L.M., 881
 Rhainds, M., 617
 Rhee, C., 383
 Richardson, A.J., 1215
 Rivera, D., 1239
 Roach, J.A.G., 185
 Robin, J., 449
 Rock, C.O., 1055
 Rohmer, M., 723
 Rønnestad, I., 449
 Rossmeisl, M., 1177
 Ruyter, B., 649
 Ruzickova, J., 1177

S

Saito, H., 997
 Saito, M., 43
 Sakaguchi, K., 977
 Sakai, H., 67
 Sakakihara, Y., 43
 Salvador, G.A., 553
 Sambaiah, K., 627
 Sanders, S.R., 537
 Sankaran, D., 207
 Santa Ana, J., 441
 Sargent, J.R., 223
 Satchithanandam, S., 11
 Sato, R., 1013, 1019, 1025
 Sattur, A.P., 173
 Sayanova, O., 1067
 Scanu, A.M., 589
 Schaffer, S., 1239
 Schwab, U.S., 373
 Scislawski, V., 125
 Secher, N.J., 1191
 Sekhar Rao, K.C., 173
 Selvaduray, K.R., 459
 Serhan, C.N., 1125
 Serinkan, B.F., 1133
 Shane, J.M., 1
 Shaw, J.-F., 513
 Shen, C.-L., 161
 Shen, M.-Y., 433
 Sheu, J.-R., 433
 Shi, J.J., 239
 Shi, Z., 37
 Shibamoto, T., 481
 Shimada, Y., 789
 Shimoda, A., 25
 Shu, R.G., 667
 Sieber, R., 355
 Simon, V.A., 135
 Sinclair, A.J., 929
 Sjövall, J., 703
 Sjövall, O., 507, 639
 Skovgaard, I.M., 195
 Skrede, A., 833
 Smith, W.G., 687
 Smuts, C.M., 963
 Soltani, M., 491
 Sørensen, J.D., 1191
 Soudant, P., 59
 Spease, C.J., 11
 Spivak, V., 811
 Sponarova, J., 1177
 Stoll, L., 811
 Straarup, E.-M., 195

Stubhaug, I., 153
 Stulnig, T.M., 1171
 Sturley, S.L., 747
 Su, Z., 239
 Sugano, M., 25, 601
 Sugawara, T., 259
 Sun, Y., 239
 Suomela, J.-P., 507, 639
 Suzuki, A., 1019
 Suzuki, T., 475
 Swanevelter, S., 963
 Switzer, K.C., 1163

T

Tagiri-Endo, M., 259
 Tagliapietra, S., 1007
 Tahvonen, R.L., 373
 Takemura, M., 977
 Tan, R.X., 667
 Tanito, M., 469
 Teachey, M.K., 537
 Templado, J., 681
 Tepper, S.A., 611
 Theriault, A.G., 143
 Thomas, B., 335
 Thompson, E.B., 821
 Thompson, A.B.R., 343, 603
 Tian, L.-x., 849
 Tisdale, M.J., 1187
 Tocher, D.R., 223, 1085
 Tong, Y., 239
 Torstensen, B.E., 153
 Tran, T.-N., 649
 Tritsch, D., 723
 Tsevegsuren, N., 571
 Tso, P., 993
 Tsutsumi, K., 25
 Tsuzuki, T., 475, 977
 Turner, C., 311
 Tyrzicka, E., 1177
 Tyurin, V.A., 1133
 Tyurina, Y.Y., 1133

U

Ueno, Y., 891

V

Valachovic, M., 747
 Vanstone, C.A., 87
 Vecka, M., 1177
 Veeramachaneni, P., 737
 Vegusdal, A., 649
 Verlengia, R., 857
 Viola, F., 1007
 Virgili, F., 459
 Visioli, F., 1239
 Vosmann, K., 571

W

Wahle, K.W.J., 1223
 Wahli, W., 1093
 Wakil, S.J., 1045
 Walker, L.A., 167, 659
 Walker, P.M., 1
 Wan, B., 675
 Wang, F.W., 667
 Wang, Y., 87
 Wang, Y.-m., 827
 Warren, J.M., 135
 Watanabe, Y., 789
 Watkins, B.A., 161
 Webb, M.S., 821
 Weete, J.D., 251
 Weill, P., 325
 Wentzinger, L., 723
 Wiedmann, T.S., 51
 Wilcox, L.J., 747
 Wild, G.E., 343, 603
 Williams, J.R., 701, 795
 Wilson, T.A., 611
 Woudstra, T.D., 343, 603
 Wright, S., 611

X

Xiao, C., 239
 Xu, X., 373

Y

Yamamoto, T., 475
 Yamasaki, M., 25
 Yamauchi, Y., 25
 Yamauchi-Sato, Y., 475
 Yanagita, T., 827
 Yang, B., 1115
 Yang, Q., 993
 Yang, Y.M., 667
 Yi, J., 907
 Yin, M.-c., 843
 Yli-Jokipii, K.M., 373
 Yonezawa, Y., 977
 Yoshida, H., 977
 Yoshida, Y., 469
 Yoshioka, N., 891
 Young, G.S., 117
 Yurawecz, M.P., 11, 185

Z

Zambonino-Infante, J.L., 449
 Zeyda, M., 1171
 Zhang, G., 907, 1037
 Zhang, S., 239
 Zhang, Y.-M., 1055
 Zhao, H., 763
 Zheng, S., 993
 Zhou, W., 737
 Ziv, E., 81
 Zoltowska, M., 81
 Zou, D., 37
 Zuckermann, M.J., 1101

Subject Index

A

- ABSORPTION
 - decline in lipid, with aging, 603
- N-ACETYLGLUCOSAMINE
 - both galactose and, can be shark repellents, 795
- ACQUIRED IMMUNODEFICIENCY SYNDROME
 - Pneumocystis pneumonia* is major cause of death in people with, 753
- Actinomadura*
 - phospholipase D preparation from one species of, 1013
- ACTIVE
 - fatty acid glycosides are, amphipathic molecules with hydrophobic and hydrophilic moieties, 933
- ACYL COENZYME A CARNITINE ACYLTRANSFERASE
 - effects associated with up-regulation of, in rat liver, 37
- ACYL COENZYME A DIACYLGLYCEROL ACYLTRANSFERASE
 - effects associated with down-regulation of, in rat liver, 37
- ACYL COENZYME A OXIDASE
 - docosahexaenoic acid capable of enhancing levels of messenger ribonucleic acid expression of carnitine palmitoyltransferase I and, 849
 - up-regulation of hepatic, and cytochrome P₄₅₀ 4A1 mRNA expression by dietary oxidized frying oil is comparable between male and female rats, 233
- ACYL POSITION
 - differences between fatty acid, distribution in native and randomized dietary fats do not influence lipoprotein and serum cholesterol concentrations, 1
- N-ACYLETHANOLAMINES
 - levels of, in human tumors, 193
- ADAPTATION
 - nature of intestinal, observed in young rats does not necessarily apply in older animals, 343
- S-ADENOSYL-L-METHIONINE
 - inactivation reaction initiated by addition of, 737
 - recombinant *P. carinii*, :C-24 sterol methyl transferase has preference for lanosterol over zymosterol as substrate, 753
- ADIPOCYTES
 - modulation of gene expression in, 1177
- AFFECTIVE DYSREGULATION
 - fatty acid profile and, in irritable bowel syndrome, 425
- AGING
 - decline in lipid absorption with, 603
 - isocaloric polyunsaturated fatty acid diet enhances lipid uptake and weight gain in, rats, 343
 - phospholipase D and phosphatidate phosphohydrolase activities in rat cerebellum during, 553
- ALCOHOL BINDING
 - cholesterol acts as antagonist to, to membranes, 1101
- ALKENE(S)
 - and polyacetylenes from a marine ascidian, 681
 - dioxiranes display high efficiency for epoxidation of various, 805
- ALKYLGLYCERIDES
 - major monoterpene alcohols isolated as, from many fruits and some plant species, 933
- ALKYNES
 - and polyacetylenes from a marine ascidian, 681
- AMINO-3-HYDROXY-5-METHYL-4-ISOXAZOLEPROPIONIC ACID
 - extracellular glutamate binding core of GluR2 class of, receptors binds to two neurosteroids, 811
- ANIMAL FATTY ACID SYNTHASE
 - structure and function of, 1045
- ANTIBACTERIAL
 - first communication dealing with two new, and xanthine oxidase inhibitory glycosphingolipids including new metabolite, fusaraside, 667

- ANTICANCER ACTIVITY *in vitro*
 - podophyllotoxin derivatives with one polyunsaturated fatty acid chain at α C₄ showed greater, against a panel of cancer cell lines, 659
- ANTIMICROBIAL TARGETS
 - reductase steps of type II fatty acid synthase as, 1055
- ANTIOXIDANT
 - protection against oxidative stress in ocular tissues is mediated by several, systems, 469
 - reduction of blood pressure following supplementation with an, 1233
- APOLIPOPROTEIN A-I
 - salmon muscle cells synthesize, 649
- APOLIPOPROTEIN B
 - regulation of apolipoprotein B metabolism by tangeretin, 143
- APOPTOSIS
 - n-3 polyunsaturated fatty acids promote, 1163
- ARACHIDONIC ACID(S)
 - intake of, highly correlated with intake of animal products, 527
 - linoleic acid is major unsaturated fatty acid in choline phospholipids present in human low density lipoprotein, with, constituting next most prevalent fatty acid, 881
 - may be useful as lipid biomarker of herbivorous animals, 997
 - regulation of, in cancer cells by dietary fatty acid intervention, 963
 - type 1 diabetes compromises plasma, and docosahexaenoic acid in newborn babies, 335
- AREA COMPRESSIBILITY
 - lipid bilayer can be described in terms of, modulus, 1101
- ARTIFICIAL ENZYME
 - and oxidation of steroids with oxorutheniumporphyrinate complex, 873
- ASCIDIANS
 - first finding of polyacetylenes from marine, 681
- ASSOCIATION STUDY
 - showed that levels of plasma very low density lipoproteins and triglycerides in patients with AA genotype were significantly higher than those with other genotypes, 239
- ATHEROSCLEROSIS
 - conjugated linoleic acid isomer effects, 611
 - granulocyte macrophage-colony stimulating factor is proposed to have tissue remodeling role in, by inducing secretion of specific extracellular matrix components by smooth muscle cells, 243
 - oxidative modification of low density lipoprotein involved in pathogenesis of, and coronary heart disease, 1239
- ATHEROSCLEROTIC PLAQUES
 - phospholipids and oxophospholipids in, at different stages of plaque development, 97
- ATLANTIC SALMON
 - β -oxidation of linolenic acid in, hepatocytes treated with different fatty acids, 153
 - fatty acid metabolism in, muscle cells, 649
 - modification of flesh fatty acid compositions in, using fish oil finishing diet, 223
- ATTENTION DEFICIT/HYPERACTIVITY DISORDER
 - blood phospholipid fatty acid analysis of adults with and without, 117
- AUSTRALIAN MARINE TELEOST
 - influences of dietary n-3 long-chain polyunsaturated fatty acid on body concentrations of docosahexaenoic acid, docosapentaenoic acid, and eicosapentaenoic acid in larvae of, 215
- AUTOXIDATION
 - and oxidative stability of conjugated fatty acids, 475

B

- BACKGROUND DIET
 - n-3 fatty acids' incorporation into tissues influenced by, 545
- BACTERIA
 - fatty acid biosynthesis in, 1055

BACTERIAL ADHESION

to gangliosides on thin-layer chromatography, 111

BACTERIAL DEHYDROXYLATION

low density lipoprotein, method used to evaluate oxidation levels, 639
of bile acids and steroids during enterohepatic circulation, 703

BASIDIOMYCETE

membrane lipid profile of edible, during growth and cell differentiation, 67

BENDING RIGIDITY

cholesterol and, 1101

BILE ACIDS

fifty years with, and steroids in health and disease, 703

BILE SALTS

interaction of, with gastrointestinal mucins, 51

BINDING

at low concentrations with exclusion at high concentrations is significant for modulating absorption of lipid aggregates from intestine, 51
of nigerloxin to bovine serum albumin, 173

BIOAVAILABILITY

dose effect of α -linolenic acid on polyunsaturated fatty acid conversion, and storage in the hamster, 325

BIODEGRADATION

chloroparaffins long considered nonbiodegradable but, has been reported in some strains of *Rhodococcus* and *Pseudomonas*, 75
hydrocarbon, and its importance in removing petroleum hydrocarbons, oily wastes, or some pesticides from marine and freshwater environments, 491

BIOSURFACTANTS

low- and high-molecular weight natural, of great interest because of physicochemical and biological properties, 933

BIOSYNTHESIS

and isomerization of 11-hydroperoxylinoates by manganese- and iron-dependent lipooxygenases, 319

BIOSYNTHESIS PATHWAY

of tocopherol and tocotrienol, 561
synthesis of deuterated fatty acids to investigate, of disparlure, 397

BIRTH WEIGHT

gestational age and, in relation to n-3 fatty acids among Inuit (Canada), 617

BIVALVE(S)

fatty acid composition of serine, ethanolamine, and choline plasmalogens in some marine, mollusks, 59
lipid and fatty acid composition of, pearl oyster, 997

BLOOD PRESSURE

beneficial effect of olive oil on, may be associated with high content of antioxidant polyphenols, 1233

BODY COMPOSITION

comparison of two specific conjugated linoleic isomers on growth characteristics, organ weight, fatty acid profiles, and whole, 537

BODY WEIGHT

of rats in high-triacylglycerol group increased significantly compared with rats in low-triacylglycerol group, 37

BORON TRIFLUORIDE ETHERATE

reaction of mono-epoxidized conjugated linoleic acid ester with, complex, 583

BRAIN TISSUE

analysis of free and sulfated steroids in, 703

BREAST CANCER CELLS

recently shown that tocotrienols are components of vitamin E responsible for inhibiting growth of human, *in vitro*, 459

BREAST-MILK

variation in, n-3 long-chain polyunsaturated fatty acids may have implications for visual development of breast-fed infants, 195

BUTANOLIDE

three new glycoside, derivatives isolated from lichen extract of *Acarospora gobiensis*, 933

BUTTER

Raman spectroscopy of clarified, 897
regiospecific determination of short-chain triacylglycerols in, by normal-phase high-performance liquid chromatography with on-line electrospray-tandem mass spectrometry, 915

C**CALCIUM**

effect of modified milk fat and, in purified diets on cholesterol metabolism in hamsters, 441

CALORIC RESTRICTION

effects of eicosapentaenoic acid/docosahexaenoic acid and, on body weight and fat accumulation in mice fed composite high-fat diet, 1177

CANCER

overall incidence of, significantly lower in countries adhering to or partly adhering to traditional Mediterranean diet, 1223

CANCER CACHEXIA

effect of, on triacylglycerol/fatty acid substrate cycling in white adipose tissue, 1187

Candida rugosa

lipase from, efficiently esterifies sterols in waste material after purification of tocopherols with oleic acid, 789
protein engineering and applications of, lipase isoforms, 513

CANNULATION

in the thoracic duct of rats, 827

CAPELIN OIL

blended with linseed oil to provide experimental diets for salmon, 223

CAPILLARY GAS-LIQUID CHROMATOGRAPHY

analysis of fatty acid methyl esters of *Geranium sanguineum* seed oil by, 571

CAPRIC ACID

positional distribution of, 373

CARDIAC

dietary fish oil dose- and time-response effects on, phospholipid fatty acid composition, 955

CARDIOLIPIN

efficient and novel method for synthesis of, and analogs, 285
short, concise route to cardiolipin, and its variants, 595

CARNITINE PALMITOYLTRANSFERASE I

inhibition of, by malonyl-coenzyme A, 849

CASEIN

body fat-reducing activity of conjugated linoleic acid more effective when protein source was soy protein rather than, 25

CEDAR-APPLE RUST

detailed sterol composition of, 763

CERAMIDE(S)

changes in, composition responsible for ability of lactosylceramides to be recognized by *Helicobacter pylori*, 111
novel, and new glucoceramide from roots of *Incarvillea arguta*, 907

CEREBELLUM

phospholipase D and phosphatidate phosphohydrolase activities in rat, during aging, 553

CEREBROSIDE

fraction was extracted from solid-state culture of endophyte, 667
quantitative accumulation of intracellular, acts as intracellular signal that initiates fruiting-body formation in *Lentinula edodes*, 67

CHAIN LENGTH

effect of, on position of carbonyl stretching mode for liquid-state saturated fatty acid methyl esters, 407

CHARACTERIZATION

purification and, of an extracellular lipase from *Geotrichum marinum*, 251

CHEMILUMINESCENCE

ozonized products analyzed by, detection-high-performance liquid chromatography with on-line electrospray mass spectrometry and characterized on the basis of nuclear magnetic resonance and fast-atom bombardment mass spectrometry, 259

CHEMOECOLOGY

and lipid and fatty acid composition of pearl oyster, 997

CHEMOMETRIC

quantitative determination of low density lipoprotein oxidation by Fourier transform infrared and, analysis, 687

CHILDHOOD DEVELOPMENTAL DISORDERS

long-chain polyunsaturated fatty acids in, and psychiatric disorders, 1215

CHILDHOOD PSYCHIATRIC DISORDERS

long-chain polyunsaturated fatty acids in, and developmental disorders, 1215

CHINA

diets play major role in heart diseases in, 291

1-CHLOROCTADECANE

incorporation of, in fatty acids and β -hydroxy acids of *Marinobacter hydrocarbonoclasticus*, 75

CHOLANOIDOMICS

detailed characterization and quantification of metabolic profiles of steroids and bile acid under different conditions may be termed steriodomics and, 703

CHOLESTEROL

and metabolites constitute class of compounds of great biological importance, 703

effect of modified milk fat and calcium in purified diets on, metabolism in hamsters, 441

essential for both transient confinement zone existence and transient anchorage, 1115

is most abundant sterol in *Pneumocystis*, 753

ozonation of, in the presence of ethanol: identification of a cytotoxic ethoxyhydroperoxide molecule, 259

role of, in formation of special membrane domains and rafts, 1101

status of, in co-occurrence of affective dysregulation and functional gastrointestinal disorders, 425

vacuum steam distillation used to reduce, concentration in animal fats, 985

CHOLESTEROL ABSORPTION

validation of single-isotope-labeled cholesterol tracer approach for measuring human, 87

CHOLESTEROL ESTERS

effects of two purified isomers of conjugated linoleic acid on weights and fatty acid compositions of hepatic triglycerides, phospholipids, free fatty acids, and, 135

CHONDROCYTES

decreased production of inflammatory mediators in human osteoarthritic, by conjugated linoleic acids, 161

CHROMATOGRAPHY

development and application of analytical methods to study bile acids and steroids based on, and mass spectrometry, 703

CHYLOMICRONS

investigation of oxidized triacylglycerol molecules found in, and very low density lipoprotein, 639

rapid clearance of hexachlorobenzene from, 993

CIGARETTE SMOKE

and n-3 polyunsaturated fatty acid metabolism, 633

Clematis vitalba

isolation and structures of two divinyl ether fatty acids from, 565

CLONES

pre-apoptotic changes in gene expression from a single time point in three, of CEM lymphoid leukemia cells, 821

CLUSTER RAFTS

formed by various cross-linking agents including antibodies, 1115

COHORT STUDIES

olive oil consumption and reduced incidence of hypertension examined by, 1233

COLLISION-INDUCED DISSOCIATION

of ammoniated triglycerols in ion-trap mass spectrometer produced spectra dependent on fatty acid position, 273

8(Z)-COLNELEIC ACID

new isomer of colneleic acid, 565

8(Z)-COLNELENIC ACID

new isomer of colneleic acid, 565

COMPARTMENTATION

biosynthetic, of major isoprenoids found in tobacco BY-2 cells, 723

COMPLEMENTARY DEOXYRIBONUCLEIC ACID MACROARRAY

tumor tissue excised and analyzed for gene expression by means of, array technique, 459

CONJUGATED C₁₈-FATTY ACID

inhibitory action of, on deoxyribonucleic acid polymerase and deoxyribonucleic acid topoisomerase, 977

CONJUGATED FATTY ACIDS

oxidative stability of, 475

cis-9,*trans*-11 CONJUGATED LINOLEIC ACID

aortic lesions in rabbits fed cholesterol-free regression diet were reduced by 59% with, 611

trans-10,*cis*-12 CONJUGATED LINOLEIC ACID

aortic lesions in rabbits fed cholesterol-free regression diet were reduced by 65% with, 611

CONJUGATED LINOLEIC ACID DISTRIBUTION

evaluation of, of isomers in milk fat from cows, 355

CONJUGATED LINOLEIC ACID MIXED ISOMERS

aortic lesions in rabbits fed cholesterol-free regression diet were reduced by 65% with, 611

CONJUGATED LINOLEIC ACID(S)

as precursors of distinct family of polyunsaturated fatty acids, 1143
decreased production of inflammatory mediators in human osteoarthritic chondrocytes by, 161

dietary protein modulates effect of, on lipid metabolism in rats, 25
effect of specific, isomers on growth characteristics in obese Zucker rats, 537

form and milk fat depression, 365

hepatic lipid characteristics and histopathology of laying hens fed, or n-3 fatty acid, 31

isomers and fatty acid composition, 135

nutritional manipulation of ω -3 fatty acids and, and possible constraints to enhancement in milk and dairy products, 1197

oxidation rate of, and conjugated linolenic acid is slowed by triacylglycerol esterification and α -tocopherol, 475

photochemical production of, from soybean oil, 577

reaction of mono-epoxidized, ester with boron trifluoride etherate complex, 583

synthesis, isolation, and gas chromatography analysis of all the 6,8- to 13,15-*cis/trans*, isomers, 185

CONJUGATED LINOLENIC ACID

oxidation rate of conjugated linoleic acid and, is slowed by triacylglycerol esterification and α -tocopherol, 475

CONJUGATES

phospholipase D-catalyzed synthesis of novel phospholipid-phytosterol, 777

CONJUGATION

of bile acids and steroids, 703

CORONARY ARTERY DISEASE

data from China support idea that diets could prevent, and hypertension, 291

CORONARY HEART DISEASE

plasma cholesterol has apparent relationship with development of and mortality from, 239

COSMETIC

use of low- and high-molecular weight natural biosurfactants in, industry, 933

COUMARIN DERIVATIVES

as inhibitors of squalene-hopene cyclase, 1007

COUPLING REACTION(S)

between fatty acids and podophyllotoxin carried out by dicyclohexylcarbodiimide, 167

reaction time for estolide-forming, 659

COW MILK

variations in *trans*-10 18:1 in, fat with starch-based diets, 19

Crassostrea gigas

fatty acid composition of serine, ethanolamine, and choline plasmalogens in, 59

CROSS-NATIONAL

magnitude of relationships between homicide rates and linoleate disappearance similar to or greater than magnitude of relationship between firearm availability and homicide mortality in, analysis, 1207

CRUSTACEAN LIPOVITELLINS

main energy and carbon source in vitellus and are necessary for embryogenesis, 389

CRYSTALLIZATION

selective increase in pinolenic acid in Korean pine nut oil by, and its effect on low density lipoprotein-receptor activity, 383

- CYCLIC ADENOSINE MONOPHOSPHATE**
increased, formation, 433
- CYCLOHEXYLALKANOIC ACIDS**
isolated from *Marinobacter hydrocarbonoclasticus*, 491
- CYSTEINE-CONTAINING AGENTS**
five, are potential multiply protective agents for hyperlipidemia prevention or therapy, 843
- CYTOCHROME P₄₅₀ 4A1**
up-regulation of hepatic acyl-coenzyme A oxidase and, messenger ribonucleic acid expression by dietary oxidized frying oil is comparable between male and female rats, 233
- CYTOKINE(S)**
effect of fatty acids on production of, by Raji cells, 857
long-chain n-3 fatty acids from fish oil decrease production of inflammatory, and eicosanoids, 1147
- CYTOTOXICITY in vitro**
compounds tested for, against a panel of human cancer cells lines, 167
- D**
- DAIRY COWS**
modifying milk fat composition of, to enhance fatty acids beneficial to human health, 1197
- DECANOIC ACID**
positional distribution of, 373
- DEFENSE MECHANISM**
are 2-methoxylated fatty acids in marine sponges a, against mycobacteria? 675
- 14 α -DEMETHYLASE**
the, enzyme protein of *Pneumocystis* unlike those of many other fungal pathogens, 753
- DEMOSTEROL**
and *Pneumocystis* sterols, 753
- DEOXYRIBONUCLEIC ACID POLYMERASE**
inhibitory action of conjugated C₁₈-fatty acids on, and deoxyribonucleic acid topoisomerase, 977
- DEOXYRIBONUCLEIC ACID TOPOISOMERASE**
inhibitory action of conjugated C₁₈-fatty acids on deoxyribonucleic acid polymerase and, 977
- Δ 5-DESATURASE**
index of, step affected most by smoke exposure, 633
- Δ 6-DESATURASE**
impairment of, in hepatocyte nodules, 963
- DESATURASE(S)**
increased membrane phosphatidylethanolamine resulted in down-regulation of three, in rat liver, 1077
long-chain polyunsaturated fatty acid, identified from animals, fungi, algae, and a few plant species, 1067
measurement of hepatic Δ 6- and Δ 5-, activities, 325
reduction in docosahexaenoic acid may be due to decreased activity of Δ 5, or, 135
- DETERGENT-RESISTANT MEMBRANES**
lipid and protein compositions of, 1115
- DEUTERATED TRACERS**
synthesis of, of fatty acids to investigate biosynthetic pathways of disparture, 397
- DEUTERIUM**
different numbers of, atoms were used to label palmitic and linoleic acids in triacylglycerol mixture, 1
- DIABETES**
conjugated linoleic acid supplements improve metabolic parameters of type 2, in the Zucker diabetic fatty rat, 537
Psammomys obesus shows increased tendency to develop diet-induced, which is associated with cardiovascular disorders, 81
- DIACYLGLYCEROL**
can be transformed into monoacylglycerol by diacylglycerol lipase, 553
characterization of castor, acyltransferase, 311
dietary, prevents high fat diet-induced lipid accumulation in rat liver and abdominal adipose tissue, 37
lymphatic transport of, 827

- DIACYLGLYCEROL ACYLTRANSFERASE**
characterization of castor, 311
expression of, in castor seeds, 865
tangeretin-induced suppression of triacylglycerol synthesis and mass associated with decreased activities of, and microsomal triglyceride transfer protein, 143
- DIACYLGLYCEROL LIPASE**
diacylglycerol can be transformed into monoacylglycerol by, 553
- DIASTEREOMER**
composition of phosphatidylglycerols, 1025
time course of, formation, 1013
- DICYCLOHEXYLCARBODIIMIDE**
coupling reactions between fatty acids and podophyllotoxin carried out by, 167
quantitative formation of estolides achieved with help of, as coupling reagent and dimethyl aminopyridine as catalyst, 659
- DIENE CONJUGATION**
Low density lipoproteins baseline, method used for determination of oxidation levels, 507
- DIET(S)**
a, containing palmitic acid located at the *sn*-2 triacylglycerol position may inhibit n-6 arachidonic acid synthesis, 1
recent data from, enriched with fish oils, 1171
- DIETARY FAT**
incorporation of n-3 fatty acids into plasma and liver lipids of rats and importance of background, 545
- DIETARY FAT LEVEL**
reducing, slows renal disease progression yet maintains normal body growth, 207
- DIETARY INTAKE**
and food sources of n-6 and n-3 polyunsaturated fatty acids in French adult men and women, 527
of essential fatty acids and long-chain polyunsaturated fatty acids in pregnancy, 421
- DIETARY LIPIDS**
decline in absorption of, with aging, 603
- DIETARY PROTEIN**
effect of, and conjugated linoleic acid interaction on lipid metabolism in rats, 601
modulates effect of conjugated linoleic acid on lipid metabolism in rats, 25
- DIFFERENTIATION**
potential role of peroxisome proliferator-activated receptors in melanocyte, and hair follicle growth, 1093
- DIFFUSION**
cholesterol has unique ability to increase lipid order in fluid membranes while maintaining fluidity and, rates, 1101
- DIGESTION**
explanation of failure of rearing fish larvae with formulated diets by lower, efficiency, 449
- DIMETHYL AMINOPYRIDINE**
coupling reactions between fatty acids and podophyllotoxin carried out by dicyclohexylcarbodiimide in presence of catalytic amount of, to produce quantitative yields of desired products, 167
quantitative formation of estolides achieved with help of dicyclohexylcarbodiimide as coupling reagent and, as catalyst, 659
- DIMETHYLDISULFIDE ADDUCTS**
of fatty acid methyl esters of *Geranium sanguineum* seed oil, 571
- DIMETHYLOXAZOLINE DERIVATIVES**
identification of, in different fractions of polyunsaturated fatty acids in the lipids from whole *Megamylus zyonensis*, 265
- DIOXIRANE**
oxidation of 3 β -substituted Δ^5 -steroids, 805
- DIPHOSPHATIDYLGLYCEROL**
class of complex phospholipids occurring mainly in heart and skeletal muscles and usually associated with membranes of subcellular fractions showing high metabolic activity, 285
short, concise route to diphosphatidylglycerol (cardiolipin) and its variants, 595
- DISPARLURE**
synthesis of deuterated fatty acids to investigate biosynthetic pathway of, 397

DITERPENES

as product of isoprenoid biosynthetic pathway, 293

DIVINYL ETHER SYNTHASE

close structural relationship between enzyme in *Clematis vitalba* and, in potato and tomato seems likely, 565

DOCOSAHEXAENOIC ACID

effect of, on visual acuity in infants, 195
effects of eicosapentaenoic acid and, on proliferation, cytokine production, and gene expression in Raji cells, 857
greater intakes of seafood rich in eicosapentaenoic acid and, correlated with lower rates of homicide mortality, 1207
induction of peroxisomal activities responsible for lower contents of eicosapentaenoic acid and, in body lipids of fenofibrate-treated rainbow trout, 849
influences of dietary n-3 long-chain polyunsaturated fatty acid on body concentrations of, in larvae of Australian marine teleost fish, 215
intakes of eicosapentaenoic acid and, highly correlated with fish and seafood intakes, 527
level of, significantly lower in adults with attention deficit/hyperactivity disorder symptoms, 117
linseed oil can be used as substitute for fish oil in seawater salmon feeds and reductions in, and eicosapentaenoic acid can be largely overcome with finishing diets high in fish oil before harvest, 223
low doses of fish oil produce marked change in myocardial, levels, 955
novel mediators generated from eicosapentaenoic acid and, that display potent bioactions, 1125
role of, in the retina, 1121
type 1 diabetes compromises plasma arachidonic acid and, in newborn babies, 335

DOCOSAPENTAENOIC ACID

influences of dietary n-3 long-chain polyunsaturated fatty acid on body concentrations of, in larvae of Australian marine teleost, 215

DRUG DELIVERY

attention focusing on use of cardiolipin in therapeutic imaging, diagnostic imaging, as contrast agents, and in, 285
cardiolipin utilized in, systems in form of liposomes to enhance therapeutic efficacy of antitumor drugs, 595

E**EICOSANOIDS**

long-chain n-3 fatty acids from fish oil decrease production of inflammatory cytokines and, 1147

EICOSAPENTAENOIC ACID

effects of, and docosahexaenoic acid on proliferation, cytokine production, and gene expression in Raji cells, 857
greater intakes of seafood rich in, and docosahexaenoic acid correlated with lower rates of homicide mortality, 1207
high levels of arachidonic acid and, in lipids of pearl oyster suggest effect of lipids of specific phytoplankton, 997
induction of peroxisomal activities responsible for lower contents of, and docosahexaenoic acid in body lipids of fenofibrate-treated rainbow trout, 849
influences of dietary n-3 long-chain polyunsaturated fatty acid on body concentrations of, in larvae of Australian marine teleost fish, 215
intakes of docosahexaenoic acid and, highly correlated with fish and seafood intakes, 527
linseed oil can be used as substitute for fish oil in seawater salmon feeds and reductions in docosahexaenoic acid and, can be largely overcome with finishing diets high in fish oil before harvest, 223
novel mediators generated from, and docosahexaenoic acid that display potent bioactions, 1125

Elaeis guineensis

developmental study on appearance of tocopherols and tocotrienols in developing palm mesocarp, 561

ELECTROSPRAY IONIZATION

ions of triacylglycerols produced by, 915
method based on high-performance liquid chromatography and, -mass

spectrometry optimized and applied to analysis of molecular structures of oxidized triacylglycerols in low density lipoproteins, 507

method based on reversed-phase high-performance liquid chromatography and, -mass spectrometry used for analysis of oxidized triacylglycerol molecules, 639

 α -ELEOSTEARIC ACID

as strongest inhibitor of deoxyribonucleic acid polymerases and deoxyribonucleic acid topoisomerases, 977
oxidative stability of, examined compared with linoleic acid, α -linolenic acid, and conjugated linoleic acid, 475

ELONGASE(S)

efficient reconstitution of long-chain polyunsaturated fatty acid, in transgenic plants, 1067
reduction in docosahexaenoic acid may be due to decreased activity of $\Delta 5$ desaturase or, 135

ENANTIOMER

phosphorylation of, diacylglycerol, 1025

ENDOPHYTE

cerebroside fraction was extracted from solid-state culture of, 667

ENOYL-ACYL CARRIER PROTEIN REDUCTASE

and β -ketoacyl-acyl carrier protein reductase are inhibitors that target two reductase steps of the type II fatty acid synthase system, 1055

ENZYME ACTIVITY

could be regulated by some specific protein kinases, 311

ENZYME INHIBITOR

computer-simulated drug design of, compounds, 977

ENZYME-LINKED IMMUNOSORBENT ASSAY

determination of interleukin 8 concentration in culture media by, 589

EPIDEMIOLOGY

of homicide mortality in relation to linoleic acid consumption, 1207

EPIDERMIS

role of peroxisome proliferator-activated receptors in, homeostasis, 1093

EPIDIDYMAL

deoxyribonucleic acid concentration higher in dorsolumbar than, fat, 1177

EPIMERS

novel ω -3-derived mediators and their endogenous aspirin-triggered, 1125

EPOXIDATION

most common reaction of dioxiranes is, 805

EPOXIDES

mild reaction conditions allow for isolation of extremely labile, 805

EPOXY CAROTENOIDS

characterization of, by fast atom bombardment collision-induced dissociation mass spectrometry/mass spectrometry, 179

EPOXY FATTY ESTER

conversion of, by boron trifluoride etherate, 583

ERGOSTEROL

dominant sterol in plasma membranes of fungal cells, 1101
inhibition of, biosynthesis is proven therapeutic target, 737

ERGOSTEROL BIOSYNTHESIS INHIBITORS

gene expression patterns in sterol pathway following treatment with, 737

ERYTHROCYTE

determination of, membrane fatty acid composition, 955

ESSENTIAL FATTY ACIDS

dietary intake of, and long-chain polyunsaturated fatty acids in pregnancy, 421
individuals vary in efficiency of their, conversion mechanisms, 117
physiological properties of, important in normal and diseased tissues, 1121

ESTERIFICATION

sterols can be converted to their fatty acid esters by lipase-catalyzed, 789

ESTOLIDES

novel fatty, of podophyllotoxin, 659

ETHOXYHYDROPEROXIDE

ozonation of cholesterol in the presence of ethanol: identification of a cytotoxic, molecule, 259

EXCLUDED VOLUME

slope related to, of mucin, 51

EYE

distribution of tocopherols and tocotrienols in the, 469

F

FARNESOL

is regulatory substrate derived from isoprenoid pathway, 737

FAS-INDUCED APOPTOSIS

cytochrome c release required for phosphatidylserine peroxidation during, in lung epithelial A549 cells, 1133

FAST ATOM BOMBARDMENT-COLLISION INDUCED DISSOCIATION-TANDEM MASS SPECTROMETRY

characterization of epoxy carotenoids by, 179

FAT

determination of potential and limitations of Raman spectroscopy for, analysis, 407

FATTY ACID COMPOSITION

method developed for analysis of, in cereal products, 11
of serine, ethanolamine, and choline plasmalogens in some marine bivalves, 59

FATTY ACID CYCLING

measurement of rates of, in triacylglycerols, 1187

FATTY ACID METABOLISM

Atlantic salmon muscle cells, 649

FATTY ACID METHYL ESTERS

critical evaluation of Raman spectroscopy for analysis of, 407

FATTY ACID OXIDATION

peroxisome proliferator-activated receptor α regulates, 1077

FATTY ACID STIMULATION

of salmon hepatocytes, 153

FATTY ACID SYNTHASE

reductase steps of type II, as antimicrobial targets, 1055
structure and function of animal, 1045

FATTY ACID SYNTHESIS

unique effect of polyunsaturated fatty acids suggests that sterol regulatory element binding protein-1c may regulate unsaturated, for glycerolipids and cholesteryl esters, 1077

FATTY ACID TRANSPORT

regulation of β -oxidation activity in primary Atlantic salmon hepatocytes seems to be at level of fatty acid uptake and, 153

FATTY ACID(S)

are 2-methoxylated, in marine sponges a defense mechanism against mycobacteria?, 675
determination of, composition of plasma phospholipids and serum cholesterol in control group irritable bowel syndrome group, 425
dietary determination of, 441
dietary fish oil dose- and time-response effects on cardiac phospholipid, composition, 955
effects of hydrocarbon structure on, fatty alcohol, and β -hydroxy acid composition in the hydrocarbon-degrading bacterium *Marinobacter hydrocarbonoclasticus*, 491
first study targeting different molecular components, such as tubulin and topoisomerase II, by, derivatives of podophyllotoxin, 659
glycosides of, and fatty alcohols, 933
identification of minor, and various non-methylene-interrupted diene isomers in mantle, muscle, and viscera of marine bivalve *Meganulus zonoensis*, 265
incorporation of 1-chlorooctadecane in, and β -hydroxy acids of *Marinobacter hydrocarbonoclasticus*, 75
induce increased granulocyte macrophage-colony stimulating factor secretion through protein kinase C-activation in THP-1 macrophages, 243
lactational changes in the, composition of human milk gangliosides, 111
modification of flesh, compositions in Atlantic salmon using fish oil finishing diet, 223
modifying milk fat composition of dairy cows to enhance, beneficial to human health, 1197

n-3, inflammation and immunity in relation to postsurgical and critically ill patients, 1147

of the seeds of *Origanum onites* L. and *Origanum vulgare* L., 487

Raman spectroscopy used to predict abundance of, in clarified butterfat, 897
synthesis and anticancer activities of, analogs of podophyllotoxin, 167

n-3 FATTY ACID(S)

dietary fat containing, in renal injury, 207

effect of rod outer segments, on retinal membrane function, 1121

fish oil intake and, in breast milk, 1191

hepatic lipid characteristics and histopathology of laying hens fed conjugated linoleic acid or, 31

influenced by background diet, 545

supplementation and delivery of, through spray-dried milk reduces serum and liver lipids in rats, 627

 ω -3 FATTY ACID(S)

and role of docosahexaenoic acid in the retina, 1121

level of total, significantly lower in adults with attention deficit/Hyperactivity disorder symptoms, 117

nutritional manipulation of, and conjugated linoleic acid and possible constraints to enhancement in milk and dairy products, 1197

trans FATTY ACIDS

effects of, in milk fat, 19

in foods, 11

FATTY ALCOHOL(S)

and β -hydroxy acids analyzed as trimethylsilyl ethers, 75

effects of hydrocarbon structure on fatty acid, and β -hydroxy acid composition in the hydrocarbon-degrading bacterium *Marinobacter hydrocarbonoclasticus*, 491

glycosides of fatty acids and, 933

FENITROTHION

induced structural and functional perturbations in the yolk lipoproteins of the shrimp, 389

FENOFIBRATE

induction of peroxisomal activities responsible for lower contents of eicosapentaenoic acid and docosahexaenoic acid in body lipids of, -treated rainbow trout, 849

FERRIC

interaction between, ions, phospholipid hydroperoxides, and the lipid phosphate moiety at physiological pH, 881

FINISHING DIETS

linseed oil can be used as substitute for fish oil in seawater salmon feeds and reductions in docosahexaenoic acid and eicosapentaenoic acid can be largely overcome with, high in fish oil before harvest, 223

FISH LARVAE

quantitative lipid requirements of marine, 449

FISH OIL(S)

dietary, dose- and time-response effects on cardiac phospholipid fatty acid composition, 955

gestational duration and birth weight could be improved with, supplementation during pregnancy, 617

intake and n-3 fatty acids in breast milk, 1191

long-chain n-3 fatty acids from, decrease production of inflammatory cytokines and eicosanoids, 1147

produced more malonaldehyde, 481

FLAVONOID

data suggest that tangeretin, novel hypolipidemic, from citrus fruits, lowers secretion of apolipoprotein B-containing lipoprotein by decreasing cellular triacylglycerol availability via at least three major mechanisms, 143

FLUORESCENCE

measurement, 389

FOOD

glycosides of fatty acids and alcohols of commercial interest for pharmaceutical and, industries, 933

FOSMIDOMYCIN

is mycotoxin and inhibitor of 2-C-methyl-D-erythritol 4-phosphate pathway, 723

FOURIER TRANSFORM INFRARED

quantitative determination of low density lipoprotein oxidation by, and chemometric analysis, 687

FRAGMENT IONS

detection of, of epoxy carotenoids by fast atom bombardment collision-induced dissociation tandem mass spectrometry, 179

FREE FATTY ACIDS

concentration of, in ZP102 cells twice that in CHO-K1 cells, 43

FREE RADICAL

and distribution of tocopherols and tocotrienols to rat ocular tissues after topical ophthalmic administration, 469

FRUITING-BODY FORMATION

identification of an alteration in membrane lipids of *Lentinula edodes* during growth and cell differentiation found only during, 67

FUEL PARTITIONING

and regulation of stearoyl-coenzyme A desaturase expression, 1061

FUNCTION

structure and, of animal fatty acid synthase, 1045

FUNCTIONAL FOODS

awareness of potential health benefits of various microcomponents in foods has given rise to concept of, 1197

FUNGAL METABOLITE

spectroscopic study of interaction of nigerloxin with, 173

Fusarium sp.

antibacterial and xanthine oxidase inhibitory cerebrosides from, 667

FUSARUSIDE

first communication dealing with two new antibacterial and xanthine oxidase inhibitory glycosphingolipids including, a new metabolite, 667

G

GANGLIOSIDES

lactational changes in the fatty acid composition of human milk, 111

GAS CHROMATOGRAPHY

foods were purchased from local supermarkets, weighed, hydrolyzed, converted to fatty acid methyl esters, and analyzed by, 11
oxygen volume absorbed by fatty acids determined by using, 475

GAS CHROMATOGRAPHY-MASS SPECTROMETRY

dimethyldisulfide adducts of fatty acid methyl esters of *Geranium sanguineum* seed oil analyzed by, 571

GASTRIC MUCIN

porcine, characterized and high carbohydrate contents found, 51

GEMINI

new generation of, surfactants, 933

GENDER EFFECT

significant, shown since female rats fed oxidized frying oil diet had significantly lower cytochrome P₄₅₀ 4A protein than male rats fed same diet, 233

GENE EXPRESSION

effects of eicosapentaenoic acid and docosahexaenoic acid on function and, of Raji cell line, 857

GENE MICROARRAY ANALYSIS

used to find network of genes involved in glucocorticoid-evoked cell death, 821

GENE REGULATION

in maturing castor seed controlled at posttranscriptional level, 865

GENE STRUCTURE

main difference in, between fish and mammalian receptors lies within the exons coding for the E domain, 1085

GENES

identification of, leading to glucocorticoid-induced leukemic cell death, 821

GENETIC ENGINEERING

controversy over whether organisms modified through, should be taken into consideration by molecular biotechnologists, 513

Geotrichum

lipase from *G. marinum* is different from lipases of other, species, 251

GERANIACEAE

or *Geranium sanguineum* seed oil is new source of petroselinic and vernolic acid, 571

Geranium sanguineum

Geraniaceae or, seed oil is new source of petroselinic and vernolic

acid, 571

GESTATIONAL AGE

and birth weight in relation to n-3 fatty acids among Inuit (Canada), 617

GESTATIONAL DIABETES MELLITUS

increased dietary long-chain polyunsaturated fatty acids may be beneficial to developing fetus for women with, 421

GLUCOCERAMIDE

new, from *Pellionia repens*, 1037

novel ceramides and new, from roots of *Incarvillea arguta*, 907

GLUCOCORTICOID

identification of genes leading to, -induced leukemic cell death, 821

GluR2

identification of neurosteroid binding site contained within, -S1S2 domain, 811

GLUTAMATE RECEPTORS

play major role in neural cell plasticity, growth, and maturation, 811

GLUTATHIONE

regulation of oxidative status by, of importance with regard to tumor growth, 963

GLYCATED LOW DENSITY LIPOPROTEIN

impact of *in vivo*, on platelet aggregation and monocyte chemotaxis in diabetic *Psammomys obesus*, 81

GLYCEROL

asymmetric *in vitro* synthesis of diastereomeric phosphatidylglycerols from phosphatidylcholine and, by bacterial phospholipase D, 1013

effect of temperature on stereoselectivity of phospholipase D toward, in transphosphatidylolation of phosphatidylcholine to phosphatidylglycerol, 1019

GLYCOSIDE(S)

of fatty acids and fatty alcohols, 933

produced by glycosylation, 795

GLYCOSPHINGOLIPIDS

first communication dealing with two new antibacterial and xanthine oxidase inhibitory, including new metabolite, fusaricide, 667

GLYOXAL

malonaldehyde, and methylglyoxal are products of lipid peroxidation that are implicated in various diseases, 481

GRANULOCYTE MACROPHAGE-COLONY STIMULATING FACTOR

fatty acids induce increased, secretion through protein kinase C-activation in THP-1 macrophages, 243

GRASS

conjugated linoleic acid isomers in the milk fat from cows fed, at different altitudes, 355

GUINEA PIG

fasting and postprandial lipid response to the consumption of modified milk fats in, 985

H

HAIR FOLLICLE

potential role of peroxisome proliferator-activated receptors in, growth and melanocyte differentiation, 1093

HAMSTER(S)

dose effect of α -linolenic acid on polyunsaturated fatty acid conversion, bioavailability, and storage in the, 325

effect of modified milk fat and calcium in purified diets on cholesterol metabolism in, 441

HEPATIC LIPID

effect of diacylglycerol on liver weight, hepatic enzymes, and, in rats, 37

HEPATIC LIPID CHARACTERISTICS

and histopathology of laying hens fed conjugated linoleic acid or n-3 fatty acid, 31

HEPATOCYTE NODULES

modulation of fatty acids and oxidative status in, 963

HEPATOCYTES

β -oxidation of linolenic acid in Atlantic salmon, treated with different fatty acids, 153

- HepG2
role of tangeretin on regulation of apolipoprotein B and lipid metabolism in, human hepatoma cell-line, 143
- HEXACHLOROBENZENE
rapid clearance of, from chylomicrons, 993
- HIGHLY UNSATURATED FATTY ACID(S)
increase in proportion of n-3, measured in umbilical cord plasma phospholipids was associated with significantly longer gestational age, 617
role of peroxisome proliferator-activated receptors in feedback regulation of, synthesis, 1077
- HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY
determination of relative amounts of positional isomers in complex mixtures of triglycerides using reversed-phase, -tandem mass spectrometry, 273
method based on, and electrospray ionization-mass spectrometry optimized and applied to analysis of molecular structures of oxidized triacylglycerols in low density lipoproteins, 507
method based on reversed-phase, and electrospray ionization-mass spectrometry used for analysis of oxidized triacylglycerol molecules, 639
ozonized products analyzed by chemiluminescence detection-, with on-line electrospray mass spectrometry and characterized on the basis of nuclear magnetic resonance and fast-atom bombardment mass spectrometry, 259
phosphatidylserine plasmalogen, phosphatidylethanolamine plasmalogen, and phosphatidylcholine plasmalogen subclasses isolated by, 59
- HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY-CHEMILUMINESCENCE DETECTION
quantification of phosphatidylcholine hydroperoxide in human plasma studied using, 891
- HISTOPATHOLOGY
hepatic lipid characteristics and, of laying hens fed conjugated linoleic acid or n-3 fatty acid, 31
- HOMICIDE
mortality and linoleic acid, 1207
- HULLESS BARLEY
pearling fines of, rich in lipids, 783
- HUMAN BREAST MILK
effect of fish oil supplementation in late pregnancy and early lactation on the n-3 fatty acid content in human breast milk, 1191
- HUMAN CANCER CELL LINES
new molecules investigated for *in vitro* anticancer activity against a panel of, 167
- HUMAN HEALTH
modifying milk fat composition of dairy cows to enhance fatty acids beneficial to, 1197
- HUMAN MILK
lactational changes in the fatty acid composition of, gangliosides, 111
- HUMAN PLASMA
quantification of phosphatidylcholine hydroperoxide in, 891
- HUMAN TUMORS
levels of *N*-acylethanolamines in, 193
- HUMAN(S)
effect of triacylglycerol structure on absorption and metabolism of isotope-labeled palmitic and linoleic acids by, 1
validation of single-isotope-labeled cholesterol tracer approach for measuring, cholesterol absorption, 87
- HYDROCARBONS
effects of hydrocarbons on *Marinobacter hydrocarbonoclasticus* lipids, 491
- HYDROLYSIS
in vitro, of phytosterol conjugates, 769
- HYDROPEROXIDE(S)
interaction between ferric ions, phospholipid, and the lipid phosphate moiety at physiological pH, 881
survey of fatty acid, metabolism in plant leaves, 565
- 11-HYDROPEROXYLINOLEATES
biosynthesis and isomerization of, by manganese- and iron-dependent lipoxygenases, 319
- HYDROXY ACID(S)
effects of hydrocarbon structure on fatty acid, fatty alcohol, and β -, composition in the hydrocarbon-degrading bacterium *Marinobacter hydrocarbonoclasticus*, 491
incorporation of 1-chlorooctadecane in fatty acids and β -, of *Marinobacter hydrocarbonoclasticus*, 75
- 3-HYDROXY-3-METHYLGLUTARYL-COENZYME A REDUCTASE
key enzyme in mevalonate pathway is, 723
- 3-HYDROXY-3-METHYLGLUTARYL-COENZYME A REDUCTASE GENE
8302A/C and (TTA)_n polymorphisms in the, may be associated with some plasma lipid metabolic phenotypes in patients with coronary heart disease, 239
- 3 α -HYDROXY-5 β -PREGNAN-20-ONE SULFATE
dimethyl sulfoxide and methanol found to solubilize both pregnenolone sulfate and, 811
- HYDROXYL RADICALS
released from activated platelets, 433
- HYDROXYMETHYLGLUTARYL COENZYME A REDUCTASE INHIBITORS
discovery of, enabled understanding of importance of roles of isoprene moieties in posttranslational modification of many signaling proteins, 293
- HYPERLIPIDEMIA
five cysteine-containing agents are potential multiply protective agents for, prevention or therapy, 843
- HYPERTENSION
data from China support idea that diets could prevent coronary artery disease and, 291
olive oil consumption and reduced incidence of, 1233
- HYPHAE
treated cells appear elongated with immature, 737
- HYPOCHLOROUS ACID
scavenging properties of Mediterranean plant foods, 1239
- HYPOLIPIDEMIC PROPERTY
and delivery of n-3 fatty acids through enriched spray-dried milk powder, 627
- I**
- ILEAL LIPID BINDING PROTEIN
located predominantly in distal ileum, 603
- IMMUNE FUNCTION
effects of monounsaturated fatty acids/olive oil on, 1223
parenteral or enteral nutrition including n-3 fatty acids appears to preserve, better than standard formulas, 1147
- IMMUNE RESPONSE
effect of polyunsaturated fatty acids on initiation of, at molecular level, 1171
- IMMUNOHISTOCHEMISTRY
abundance of ileal lipid binding protein measured by, 603
- Incarvillea arguta*
novel ceramides and new glucoceramide from roots of, 907
- INCORPORATION
multiple-isotope tracer methodology provides more accurate comparison of fatty acid, and metabolite synthesis, 1
- INDUSTRY
surfactants widely used in modern, 933
- INERT DIET
relatively good results in marine larval rearing have been achieved recently with exclusive use of, 449
- INFANT DEVELOPMENT
effect of maternal fish oil supplementation on, 195
- INFLAMMATION
n-3 fatty acids, and immunity in relation to postsurgical and critically ill patients, 1147
- INFLAMMATORY DISORDERS
polyunsaturated fatty acids of n-6 series provide some beneficial effects on distinct, 1171

- INSECT SEX PHEROMONE**
study of, of gypsy moth, 397
- INTESTINAL FATTY ACID BINDING PROTEIN**
has high affinity for binding long-chain fatty acids, 603
- INTESTINAL MUCIN**
rat, characterized and high carbohydrate contents found, 51
- INTESTINE**
aging associated with change in morphology and absorptive capacity of small, 343
aging associated with changes in absorptive capacity of small, 603
- INTRACELLULAR Ca^{2+}**
lowering of, mobilization, 433
- IODINE**
optimization of, and photoisomerization time by response surface modeling, 577
- IONOTROPIC GLUTAMATE RECEPTORS**
degree to which, conduct current depends on binding of extracellular ligands, 811
- IRON**
biosynthesis and isomerization of 11-hydroperoxylinoleates by manganese- and dependent lipoxygenases, 319
catalyzed phospholipid peroxidation, 881
- IRRITABLE BOWEL SYNDROME**
fatty acid profile and affective dysregulation in, 425
- ISOENZYMES**
codon usage problem hindered use of recombinant *Candida rugosa* lipase, 513
- ISOFORMS**
protein engineering and applications of *Candida rugosa* lipase, 513
- ISOMERIZATION**
biosynthesis and, of 11-hydroperoxylinoleates by manganese- and iron-dependent lipoxygenases, 319
- ISOPRENOIDS**
diversity of form and function of, 293
review of tobacco BY-2 cells as excellent system to study biosynthesis and function of sterols and other, 723
- ISOPROPYLIDENEGLYCEROL**
physicochemical properties of, 1025
- K**
- KERATINOCYTES**
effect of peroxisome proliferator-activated receptors on metabolism of lipids in, 1093
- β -KETOACYL-ACYL CARRIER PROTEIN REDUCTASE**
and enoyl-acyl carrier protein reductase are inhibitors that target two reductase steps of the type II fatty acid synthase system, 1055
- 7-KETO- Δ^5 -STEROLS**
review of chemical syntheses of, 801
- KETONE**
steroids bearing, functionality at carbon-7 found commonly in nature, 801
- KOREAN PINE NUT OIL**
selective increase in pinolenic acid in, by crystallization and its effect on low density lipoprotein-receptor activity, 383
- L**
- LACTATION**
effect of fish oil supplementation in late pregnancy and early, on the n-3 fatty acid content in human breast milk, 1191
- LAMIACEAE**
plant family, includes *Origanum onites* L. and *Origanum vulgare* L., 487
- LANOSTEROL**
not able to form rafts, 1101
- LANOSTEROL SYNTHASE**
recombinant, did not accumulate in lipid particles, 753
- LARVAE**
influences of dietary n-3 long-chain polyunsaturated fatty acid on body concentrations of docosahexaenoic acid, docosapentaenoic acid, and eicosapentaenoic acid in, of Australian marine teleost, 215
- LAYING HENS**
hepatic lipid characteristics and histopathology of, fed conjugated linoleic acid or n-3 fatty acid, 31
- Lentinula edodes***
membrane lipid profile of edible basidiomycete, during growth and cell differentiation, 67
- LEPTIN**
adipocyte-derived hormone that stimulates oxidation of fatty acids, 1061
- LEUKEMIC CELL DEATH**
identification of genes leading to glucocorticoid-induced, 821
- LIGANDS**
sea bass receptors share common, with their mammalian or amphibian counterparts, 1085
- LINOLEIC ACID**
could improve essential fatty acid intake of French population by adjusting, to α -linolenic acid intake ratio, 527
effect of triacylglycerol structure on absorption and metabolism of isotope-labeled palmitic and, by humans, 1
homicide mortality and, 1207
iron-catalyzed phospholipid peroxidation and, 881
photochemical production of conjugated, from soybean oil, 577
stimulation of granulocyte macrophage-colony stimulating factor secretion by, and phorbol myristate acetate appear to be calcium dependent, 243
- LINOLENIC ACID**
seed oil composition of *Origanum onites* L. includes palmitic acid, stearic acid, oleic acid, linoleic acid, and, 487
- α -LINOLENIC ACID**
and the risk of prostate cancer, 929
could improve essential fatty acid intake of French population by adjusting linoleic acid to, intake ratio, 527
dose effect of, on polyunsaturated fatty acids conversion, bioavailability, and storage in the hamster, 325
partial hydrogenation with hydrazine carried out for both γ -linolenic acid and, 185
- γ -LINOLENIC ACID**
influence of, on nodule fatty acid profile, 963
partial hydrogenation with hydrazine carried out for both α -linolenic acid and, 185
- LINSEED OIL**
replacement of dietary fish oil with increasing levels of, 223
- LIPASE(S)**
Candida rugosa, efficiently esterifies sterols in waste material after purification of tocopherols with oleic acid, 789
extracellular, are versatile enzymes used to catalyze both hydrolysis and synthesis of ester compounds, 513
purification and characterization of an extracellular, from *Geotrichum marinum*, 251
- LIPID ABSORPTION**
and lymphatic transport of diacylglycerol, 827
- LIPID BILAYER**
on lowering temperature, undergoes phase transition, 1101
- LIPID CHAIN ORDER**
cholesterol regulates, 1101
- LIPID DOMAINS**
cholesterol believed to play crucial role in lateral organization of lipid membranes in form of specialized, or rafts, 1101
- LIPID MEDIATORS**
polyunsaturated fatty acids of n-3 series interfere with biosynthesis of, 1171
- LIPID METABOLISM**
and lymphatic transport of diacylglycerol, 827
effect of dietary protein and conjugated linoleic acid interaction on, in rats, 601
role of stearyl-coenzyme A desaturase in, 1061
- LIPID PEROXIDATION**
and distribution of tocopherols and tocotrienols to rat ocular tissues after topical ophthalmic administration, 469

LIPID QUALITY

analysis of factor, revealed that triolein responsible for significantly lower lipase activity, 449

LIPID RAFT

serves as platform that could locally initiate signal transduction, 1115

LIPID(S)

extent to which Raman signal from particular, can be approximated as sum of signals arising from distinct units within the molecule, 407

from methanotrophic bacteria reduce plasma cholesterol and classes of phospholipids in mink, 833

lipoprotein, and triacylglycerols were more oxidized in pigs fed on most oxidized oil compared with those fed on nonoxidized oil, 639

LIPID-BINDING PROTEINS

dietary fat may influence abundance of other, in the enterocyte, 343

LIPOPOLYSACCHARIDES

β -hydroxy acids as free compounds and also covalently bound to, of *Marinobacter hydrocarbonoclasticus*, 75

incorporation in, of β -hydroxy acids, 491

LIPOPROTEIN(a)

successful utilization of lyophilized, as biological reagent, 589

LIPOPROTEINS

fenitrothion-induced structural and functional perturbations in the yolk, of the shrimp, 389

new approach to analysis of oxidized triacylglycerols in, 507

LIPOSOME(S)

cardiolipin utilized in drug delivery systems in form of, to enhance therapeutic efficacy of antitumor drugs, 595

drug delivery to tumor cells through, formed by cardiolipin, 285

fenitrothion increased lipid phase polarity of forms of both lipovitellins and, 389

LIPOXYGENASE INHIBITOR

nigerloxin acts as, and aldose reductase inhibitor and possesses free radical-scavenging property, 173

LIPOXYGENASE(S)

biosynthesis and isomerization of 11-hydroperoxylinoleates by manganese- and iron-dependent, 319

the, -divinyl ether synthase pathway is of functional importance in the defense of plants against attacking pathogens, 565

LIQUID-ORDERED PHASE

unique for cholesterol and other higher sterols, 1101

LIVER LIPIDS

conjugated linoleic acid feeding had no significant effects on, 611

supplementation and delivery of n-3 fatty acids through spray-dried milk reduce serum lipids and, in rats, 627

LONG-CHAIN n-3 POLYUNSATURATED FATTY ACIDS

encouraging fish consumption to reach two fish portions per week among French men and women would raise the intake of, 527

estimated maternal intake of, during lactation is strong determinant of infant red blood cell-docosahexaenoic acid level, 195

LONG-CHAIN POLYUNSATURATED FATTY ACIDS

biosynthesis in transgenic plants, 1067

dietary intake of essential fatty acids and, in pregnancy, 421

effect of cigarette smoke on synthesis of n-3, *in vitro* by using MCF-10A, a line of healthy epithelial cells from human mammary gland, 633

in childhood developmental and psychiatric disorders, 1215

levels of, significantly lower in adults with attention deficit/hyperactivity disorder symptoms, 117

LOW DENSITY LIPOPROTEIN-RECEPTOR

selective increase in pinolenic acid in Korean pine nut oil by crystallization and its effect on, activity, 383

LOW DENSITY LIPOPROTEIN(S)

baseline diene conjugation method used for determination of oxidation levels, 507

fast measurement of oxidized, in blood samples, 639

oxidative modification of, involved in pathogenesis of atherosclerosis and coronary heart disease, 1239

quantitative determination of, oxidation by Fourier transform infrared and chemometric analysis, 687

LOW TEMPERATURE

change in fatty acyl residues observed during fruiting-body formation in *Lentinula edodes* differs from that which occurs in response to, stress, 67

LYMPH LIPIDS

free cholesterol fraction of, 827

B-LYMPHOCYTE

investigation of effects of eicosapentaenoic acid and docosahexaenoic acid on function and gene expression of, cell line, 857

LYMPHOCYTES

step-by-step analysis of T cell signaling cascades stimulated *via* T cell receptor (TCR)/CD3 complex that mediates antigen-specific stimuli to T, *in vivo*, 1171

LYOPHILIZATION

does not significantly affect the structural and functional properties of lipoprotein(a), 589

M

MACROPHAGES

fatty acids induce increased granulocyte macrophage-colony stimulating factor secretion through protein kinase C-activation in THP-1, 243

MALONALDEHYDE

glyoxal, and methylglyoxal are products of lipid peroxidation that are implicated in various diseases, 481

MANGANESE

biosynthesis and isomerization of 11-hydroperoxylinoleates by, and iron-dependent lipoxygenases, 319

MARINE FOOD CHAIN

many pelagic fishes accumulate n-3 polyunsaturated fatty acids in, 997

MARINE NATURAL PRODUCTS

four, consisting of novel straight-chain polyacetylenic alcohols isolated from marine ascidian, 681

MARINE SPONGES

are 2-methoxylated fatty acids in, a defense mechanism against mycobacteria? 675

Marinobacter hydrocarbonoclasticus

effects of hydrocarbons on *Marinobacter hydrocarbonoclasticus* lipids, 491

incorporation of 1-chlorooctadecane in fatty acids and β -hydroxy acids of, 75

MASS SPECTROMETRY

determination of relative amounts of positional isomers in complex mixtures of triglycerides using reversed-phase high-performance liquid chromatography-tandem, 273

development and application of analytical methods to study bile acids and steroids based on chromatography and, 703

enrichments of carbon-13 and deuterium in red blood cells analyzed using differential isotope ratio, 87

method based on high-performance liquid chromatography and electrospray ionization-, optimized and applied to analysis of molecular structures of oxidized triacylglycerols in low density lipoproteins, 507

method based on reversed-phase high-performance liquid chromatography and electrospray ionization-, used for analysis of oxidized triacylglycerol molecules, 639

ozonized products analyzed by chemiluminescence detection high-performance liquid chromatography with on-line electrospray, and characterized on the basis of nuclear magnetic resonance and fast-atom bombardment, 259

MATERNAL TYPE 1 DIABETES

healthy neonates born to mothers who have maternal type 1 diabetes have highly compromised levels of arachidonic acid and docosahexaenoic acid, 335

MCF-10A

effect of cigarette smoke on synthesis of n-3 long-chain polyunsaturated fatty acids *in vitro* by using, a line of healthy epithelial cells from human mammary gland, 633

MECHANISM-BASED INHIBITORS

experiments with, 737

- MEDITERRANEAN DIET**
health benefits of olive oil in classic, 1223
hypochlorous acid and, 1239
olive oil major component of, 1233
- MEDIUM-CHAIN TRIACYLGLYCEROLS**
possibly as result of, coconut oil significantly decreased growth, 499
- Megangulus zyonoensis**
identification of minor fatty acids and various non-methylene-interrupted diene isomers in mantle, muscle, and viscera of marine bivalve, 265
- MELANOCYTES**
activity of, is major determinant of color of hair and skin, 1093
- MEMBRANE**
determination of erythrocyte, fatty acid composition, 955
- MEMBRANE FLUIDITY**
alterations of fatty acid metabolism and, in peroxisome-defective mutant ZP102 cells, 43
- MERCURY**
environmental contaminants such as polychlorinated biphenyls, lead, and, are suspected to be related to adverse pregnancy outcomes and reduced growth, 617
- METABOLISM**
of conjugated linoleic acids, 1143
- METHANOTROPHIC BACTERIA**
lipids from, reduce plasma cholesterol and classes of phospholipids in mink, 833
- METHYL ESTER FATTY ACIDS**
studies with rats indicate that intestinal hydrolysis and absorption rates of, from menhaden and rapeseed oils were severalfold slower than corresponding triglycerides, 365
- N-METHYL-D-ASPARTATE**
pregnenolone sulfate potentiates, receptor response to glutamate, 811
- 2-C-METHYL-D-ERYTHRITOL 4-PHOSPHATE**
fosmidomycin is mycotoxin and inhibitor of, pathway, 723
- METHYLGLYOXAL**
glyoxal, malonaldehyde, and, are products of lipid peroxidation implicated in various diseases, 481
- MEVALONATE**
cytosolic and mitochondrial isoprenoids derive from, 723
in the isoprenoid biosynthetic pathway, 293
- MEVINOLIN**
used as probe to evaluate role of mevalonate in various physiological and biochemical processes in plants, 723
- C57BL/6J MICE**
 ω -3 polyunsaturated fatty acids of marine origin limit diet-induced obesity in, by reducing cellularity of adipose tissue, 1177
- MICROSOMAL TRIGLYCERIDE TRANSFER PROTEIN**
tangeretin-induced suppression of triacylglycerol synthesis and mass associated with decreased activities of diacylglycerol acyltransferase and, 143
- MICROSOMES**
of developing castor seeds, 865
- MILK FAT(S)**
conjugated linoleic acid form and, depression, 365
conjugated linoleic acid isomers in, 355
effect of modified, and calcium in purified diets on cholesterol metabolism in hamsters, 441
modified, and plasma lipids, 985
modifying, composition of dairy cows to enhance fatty acids beneficial to human health, 1197
variations of *trans*-octadecenoic acid in, induced by feeding different starch-based diets to cows, 19
- MILK LIPIDS**
good source of conjugated linoleic acids with putative antiatherogenic properties, 627
- MINK**
lipids from methanotrophic bacteria reduce plasma cholesterol and classes of phospholipids in, 833
- MITOCHONDRIA**
fatty acid oxidation-related activities in peroxisomes and, 849
- MOLLUSKS**
fatty acid composition of serine, ethanolamine, and choline plasmalogens in some marine bivalve, 59
- MONOCLONAL AUTOANTIBODY**
immunological properties of, T-15, 589
- MONOCYTE CHEMOTAXIS**
impact of *in vivo* glycation of low density lipoprotein on platelet aggregation and, in diabetic *Psammomys obesus*, 81
- MONOSACCHARIDE**
glucose is most abundant and least expensive, 795
- MONOTERPENES**
as product of isoprenoid biosynthetic pathway, 293
- MONOUNSATURATED FAT**
from extra-virgin olive oil associated with lower systolic and diastolic blood pressure, 1233
in foods in the United States prior to mandatory *trans* fat labeling, 11
- MONOUNSATURATED FATTY ACID**
high content of, in olive oil, 1223
- MOSESIN**
synthesis of, 795
- MUSCLE**
phospholipid fatty acid composition of skeletal, tissue samples, 955
- MUSCLE CELLS**
fatty acid metabolism in, of Atlantic salmon, 649
- MUTATION**
in sphingolipid synthesis suppresses defects in yeast ergosterol metabolism, 747
- MYCOBACTERIA**
are 2-methoxylated fatty acids in marine sponges a defense mechanism against, ?, 675
- MYELOPEROXIDASE**
inhibitory effect of polyphenols on, activity, 1239
- Mytilus edulis**
fatty acid composition of serine, ethanolamine, and choline plasmalogens in, 59
- N**
- NEONATES**
healthy, born to mothers with type 1 diabetes have highly compromised levels of arachidonic acid and docosahexaenoic acid, 335
- NEPETOIDEAE**
genera under subfamily, including *Origanum onites* L. and *Origanum vulgare* L., reported to contain unsaturated fatty acids as predominant constituents, 487
- NEUROPROTECTION**
and role of docosahexaenoic acid in the retina, 1121
- NEUTRAL LIPID**
use of triolein as, source in diet of larval sea bass, 449
- NEWBORN**
gestational age and birth weight are important predictors of survival and health status of the, 617
- NIGERLOXIN**
spectroscopic study of interaction of, with serum albumin, 173
- NITRIC OXIDE**
effect of conjugated linoleic acid alone and in combination with other polyunsaturated fatty acids on the fatty acid composition and production of prostaglandin E₂ and, cultures isolated from osteoarthritis patients, 161
- NOMENCLATURE**
of polyunsaturated fatty acids, 693
- NON-INSULIN-DEPENDENT DIABETES MELLITUS**
animal species *Psammomys obesus*, with genetically predetermined diabetes, acquires, when exposed to energy-rich diets, 81
- NON-METHYLENE-INTERRUPTED FATTY ACID(S)**
methyl esters of unsaturated fatty acids fractionated according to their degree of unsaturation by using argentation thin-layer chromatography to clarify occurrence of, in marine bivalve *Megangulus zyonoensis*, 265
noticeable amounts of, found in phosphatidylethanolamine plasmalogen, 59

- were characteristically localized only in phosphatidylethanolamine, 997
- NORMAL-PHASE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY**
 regiospecific determination of short-chain triacylglycerols in butterfat by, with on-line electrospray-tandem mass spectrometry, 915
- ¹H NUCLEAR MAGNETIC RESONANCE**
 and analysis of fatty podophyllotoxins as cancer inhibitors, 167
 iron-catalyzed phospholipid peroxidation examined using, 881
 spectroscopic techniques, particularly, and ¹³C nuclear magnetic resonance, were suitable tools to characterize new compounds, 659
- ¹³C NUCLEAR MAGNETIC RESONANCE**
 and analysis of fatty podophyllotoxins as cancer inhibitors, 167
 spectroscopic techniques, particularly ¹H nuclear magnetic resonance and, were suitable tools to characterize new compounds, 659
- NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY**
 individual sterols subjected to high-field, 753
 ozonized products analyzed by chemiluminescence detection high-performance liquid chromatography with on-line electrospray mass spectrometry and characterized on the basis of, and fast-atom bombardment mass spectrometry, 259
- NUDE MICE**
 MCF-7 breast cancer cells injected into athymic, 459
- NUTRITION**
 milk fat content and fatty acid composition can be significantly altered through, of dairy cows, 1197

O

- OBESITY**
 diseases such as diabetes mellitus, cardiovascular diseases, and other so-called lifestyle-related diseases are all related to, 37
- OIL**
 determination of potential and limitations of Raman spectroscopy for, analysis, 407
- OIL PALM**
 developmental study on appearance of tocopherols and tocotrienols in, fruits from different stages of ripeness, 561
- OILSEEDS**
 concentration of conjugated linoleic acid isomers in milk fat of cows fed control diet or control diet supplemented with, 355
- OLEIC ACID**
 effect of replacing saturated fatty acids with, in dairy products, 441
- OLIVE OIL**
 and modulation of cell signaling in disease prevention, 1223
- ω-3**
 decreased measures of aggression or violence by increasing intakes of long-chain, fatty acids relative to ω-6 intake, 1207
 gestational age and birth weight in relation to, fatty acids among Inuit (Canada), 617
- ω-3-DERIVED MEDIATORS**
 novel, and their endogenous aspirin-triggered epimers, 1125
- ORGANOCHLORINE**
 detrimental effects of, compounds in many systems, 993
- Origanum onites* L.
 fatty acids of the seeds of, and *Origanum vulgare* L., 487
- Origanum vulgare* L.
 fatty acids of the seeds of *Origanum onites* L. and, 487
- OSTEOARTHRITIS**
 effects of conjugated linoleic acid on, 161
- OXIDATION**
 diet and lipoprotein, 639
 dioxirane, of 3β-substituted Δ⁵-steroids, 805
 low density lipoprotein baseline diene conjugation method used for determination of, levels, 507
 quantitative determination of low density lipoprotein, by Fourier transform infrared and chemometric analysis, 687
 reaction paths of, 801

β-OXIDATION

- docosaheptaenoic acid inhibits mitochondrial, of other fatty acids, 849
 of linolenic acid in Atlantic salmon hepatocytes treated with different fatty acids, 153
- OXIDATIVE STATUS**
 modulation of fatty acids and, in hepatocyte nodules, 963
- OXIDIZED FRYING OIL**
 and peroxisome proliferator-activated receptor-α activation in both genders of rats, 233
- OXIDIZED LOW DENSITY LIPOPROTEIN**
 low concentration of, suppresses platelet reactivity *in vitro*, 433
- OXIDIZED OILS**
 formation of toxic compounds from, 481
- OXIDOSQUALENE CYCLASE**
 structure of umbelliferone derivatives investigated as, inhibitors, 1007
- OXONE®**
 is an inexpensive, environmentally friendly oxidant with no toxic by-products, 805
- OXOPHOSPHOLIPIDS**
 phospholipids and, in atherosclerotic plaques at different stages of plaque development, 97
- OXORUTHENIUMPORPHYRINATE COMPLEX**
 oxidation of steroids with, 873
- OXYFUNCTIONALIZATION**
 catalytic method for, of unactivated carbons in steroids, 873
- OZONATION**
 of cholesterol in the presence of ethanol: identification of a cytotoxic ethoxyhydroperoxide molecule, 259

P

- PALM OIL**
 separation of vitamin E in, 1031
 tocotrienol-rich fraction from, affects gene expression in tumors resulting from MDF-7 cell inoculation in athymic mice, 459
- PALMITIC ACID**
 effect of triacylglycerol structure on absorption and metabolism of isotope-labeled, and linoleic acid by humans, 1
- PALM-PRESSED FIBER**
 extraction of residual oil from, 1031
- PANCREATIN**
 two types of purified hydroxycinnamate esters were hydrolyzed by cholesterol esterase and by, 769
- PARTIAL HYDROGENATION**
 with hydrazine carried out for both γ-linolenic acid and α-linolenic acid, 185
- PAVONININ**
 six shark-repelling saponins named, -1 to -6 were isolated from related species of fish, 795
- pcy* MOUSE
 modulation of renal injury in, by dietary fat containing n-3 fatty acids depends on level and type of fat, 207
- PEARLING FINES**
 total phytosterols of grains and, analyzed by gas chromatography using flame-ionization detection after acid and alkaline hydrolysis, 783
- Pellionia repens*
 new glucoceramide from, 1037
- PELLIONIARESIDE**
 isolation and structure elucidation new glucoceramide named, 1037
- PERMEABILITY**
 cholesterol imparts low, barriers to lipid membranes, 1101
- PEROXIDATION**
 iron-catalyzed phospholipid, 881
- PEROXISOME BIOGENESIS DISORDERS**
 clarify biochemical bases of, 43
- PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR RESPONSE ELEMENTS**
 sea bass isotypes recognize and bind to, of both mammalian and piscine origin, 1085

- PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR(S)**
determination whether cultivated muscle cells express, which is known to be important for regulation of β -oxidation in mammals, 649
functions of, in skin homeostasis, 1093
influence of tangeretin on activities of microsomal triglyceride transfer protein, diacylglycerol acyltransferase, and, 143
molecular characterization of three, from sea bass, 1085
transcription factors of nuclear receptor family, 1077
- PEROXISOMES**
fatty acid oxidation-related activities in, and mitochondria, 849
- PETROSELINIC ACID**
Geranium sanguineum (Geraniaceae) seed oil is new source of, and vernolic acid, 571
- Pex5 YEAST MUTANT**
alteration of lipid metabolism by, 43
- PHARMACEUTICAL**
glycosides of fatty acids and alcohols of commercial interest for, and food industries, 933
- PHASE DIAGRAM**
generic, for lipid-cholesterol mixtures, 1101
- PHENYLALKANOIC ACIDS**
oddness/evenness of, closely related to length of aliphatic chain of the hydrocarbon fed, 491
- PHOSPHATIDATE PHOSPHOHYDROLASE**
phospholipase D and, activities in rat cerebellum during aging, 553
- PHOSPHATIDIC ACID**
differential, metabolization during aging could be related to alterations in neural signal transduction mechanisms, 553
- PHOSPHATIDYLCHOLINE**
asymmetric *in vitro* synthesis of diastereomeric phosphatidylglycerols from, and glycerol by bacterial phospholipase D, 1013
effect of temperature on stereoselectivity of phospholipase D toward glycerol in transphosphatidylation of, to phosphatidylglycerol, 1019
- PHOSPHATIDYLCHOLINE HYDROPEROXIDE**
quantification of, in human plasma, 891
- PHOSPHATIDYLETHANOLAMINE**
lipids from methanotrophic bacteria rich in, reduce plasma cholesterol and classes of phospholipids: a comparison with soybean oil, 833
- PHOSPHATIDYLGLYCEROL**
configuration of, 1031
effect of temperature on stereoselectivity of phospholipase D toward glycerol in transphosphatidylation of phosphatidylcholine to, 1019
synthesis of, diastereomers, 1025
- PHOSPHATIDYLSERINE OXIDATION**
cytochrome c catalyzes, 1133
- PHOSPHATIDYLSERINE PLASMALOGEN**
isolated by high-performance liquid chromatography, 59
- PHOSPHOLIPASE D**
and phosphatidate phosphohydrolase activities in rat cerebellum during aging, 553
asymmetric *in vitro* synthesis of diastereomeric phosphatidylglycerols from phosphatidylcholine and glycerol by bacterial phospholipase D, 1013
simple synthesis of diastereomerically pure phosphatidylglycerols by, -catalyzed transphosphatidylation, 1025
temperature effect on stereoselectivity of, 1019
transphosphatidylation reaction catalyzed by, from savoy cabbage, 777
- PHOSPHOLIPID(S)**
and oxophospholipids in atherosclerotic plaques at different stages of plaque development, 97
effects of two purified isomers of conjugated linoleic acid on weights and fatty acid compositions of hepatic triglycerides, cholesterol esters, free fatty acids and, 135
fatty acyl residue composition of, not influenced by vegetative growth, 67
iron-catalyzed, peroxidation, 881
lipids from methanotrophic bacteria reduce plasma cholesterol and classes of, in mink, 833
plant sterols modified to form amphiphiles by synthesizing, derivatives, 777
- PHOSPHONIUM SALT METHODOLOGY**
new approach for synthesis of cardiolipin family of phospholipids using, 595
- PHOTOISOMERIZATION**
production of conjugated linoleic acid isomers from soybean oil by, of soybean oil linoleic acid, 577
- PHOTORECEPTOR CELLS**
bright light can damage, 1121
- PHOTOSTASIS**
physiological consequences of, 1121
- PHYTONUTRIENT CONCENTRATE**
obtained as residue from vacuum distillation of crude palm oil methyl esters, 1031
- PHYTOSTEROL CLASSES**
and pearling of barley and rye, 783
- PHYTOSTEROL(S)**
in vitro hydrolysis of, conjugates, 769
mass spectrometry analysis of, isolated from tobacco BY-2 cells, 723
naturally occurring, may significantly affect cholesterol absorption, 777
total, of grains and pearling fines analyzed by gas chromatography using flame-ionization detection after acid and alkaline hydrolysis, 783
- PINOLENIC ACID**
selective increase in, in Korean pine nut oil by crystallization and its effect on low density lipoprotein-receptor activity, 383
- PLAQUE DEVELOPMENT**
phospholipids and oxophospholipids in atherosclerotic plaques at different stages of, 97
- PLASMA CHOLESTEROL**
lipids from methanotrophic bacteria reduce, and classes of phospholipids in mink, 833
- PLASMA CLEARANCE**
of isotopes, 993
- PLASMA LIPOPROTEINS**
protection of dietary polyunsaturated fatty acids against ruminal hydrogenation allowed them to accumulate in, 125
- PLASMALOGENS**
fatty acid composition of serine, ethanolamine, and choline, in some marine bivalves, 59
- PLASMA PHOSPHOLIPIDS**
increase in proportion of n-3 highly unsaturated fatty acids measured in umbilical cord, was associated with significantly longer gestational age, 617
- PLATELET AGGREGATION**
impact of *in vivo* glycation of low density lipoprotein on, and monocyte chemotaxis in diabetic *Psammomys obesus*, 81
oxidized low density lipoprotein inhibits, 433
- PNEUMOCYSTEROL**
blocked at 14 α -demethylation of sterol nuclease, 753
- Pneumocystis carinii*
umbelliferone aminoalkyl derivatives as inhibitors of oxidosqualene cyclases from *Saccharomyces cerevisiae*, *Trypanosoma cruzi*, and, 1007
- Pneumocystis jirovecii*
sterol compositions observed in different, samples spanned unusually broad range, 753
- PODOPHYLLOTOXIN**
novel fatty estolides of, 659
synthesis and anticancer activities of fatty acid analogs of, 167
- POLYACETYLENES**
from a marine ascidian, 681
- POLYCHLORINATED BIPHENYLS**
environmental contaminants such as lead, mercury, and, are suspected to be related to adverse pregnancy outcomes and reduced growth, 617
- POLYCYSTIC KIDNEY DISEASE**
treatment of, patients involves alleviation of associated secondary disorders, 207

POLYMORPHISM

- no significant difference between coronary heart disease and control groups in frequency of alleles and genotypes in the 8302A/C, 239

POLYPHENOLS

- beneficial effect of olive oil on blood pressure may be associated with high content of antioxidant, 1233
- inhibitory effect of, on myeloperoxidase activity, 1239

POLYUNSATURATED FAT

- in foods in the United States prior to mandatory *trans* fat labeling, 11

POLYUNSATURATED FATTY ACID DIET

- isocaloric, enhances lipid uptake and weight gain in aging rats, 343

POLYUNSATURATED FATTY ACID(S)

- and T cell signaling, 1171
- anti-obesity effect of ω -3, 1177
- conjugated linoleic acids as precursors of distinct family of, 1143
- dose effect of α -linolenic acid on, conversion, bioavailability and storage in the hamster, 325
- nomenclature of, 693
- suppress induction of lipogenic genes, 1077

n-3 POLYUNSATURATED FATTY ACIDS

- effects of dietary, on T cell membrane composition and function, 1163

n-6 POLYUNSATURATED FATTY ACID

- effects in fattening steers of, supplementation on plasma distribution and chemical composition of lipoproteins, 125

POSITIONAL DISTRIBUTION

- of decanoic acid, 373

POSITIONAL ISOMERS

- determination of relative amounts of, in complex mixtures of triglycerides using reversed-phase high-performance liquid chromatography-tandem mass spectrometry, 273

POSTPRANDIAL

- fasting and, lipid response to the consumption of modified milk fats in guinea pigs, 985

PREGNANCY

- dietary intake of essential fatty acids and long-chain polyunsaturated fatty acids in, 421
- effect of fish oil supplementation in late, and early lactation on the n-3 fatty acid content in human breast milk, 1191

PREGNENOLONE SULFATE

- potentiates N-methyl-D-aspartate receptor response to glutamate, 811

PRIMARY CULTURE

- salmon muscle cells differentiated in, are well suited as model system for studies on lipid metabolism in fish muscle, 649

PROLIFERATION

- effect of eicosapentaenoic acid and docosahexaenoic acid on the, of Raji cells, 857

PROSTAGLANDIN E₂

- effect of conjugated linoleic acid alone and in combination with other polyunsaturated fatty acids on the fatty acid composition and production of, and nitric oxide cultures isolated from osteoarthritis patients, 161

PROSTATE CANCER

- α -linolenic acid and the risk of, 929

PROTEIN ENGINEERING

- and applications of *Candida rugosa* lipase isoforms, 513

PROTEIN EXPRESSION

- and function during castor seed development, 865

PROTEIN FUNCTION

- effect of cholesterol on, 1101

PROTEIN KINASE C

- fatty acids induce increased granulocyte macrophage-colony stimulating factor secretion through activation of, in THP-1 macrophages, 243

PROTEIN-LIGAND INTERACTIONS

- hydrophobic interactions may dominate, 173

PSORIASIS

- implication of peroxisome proliferator-activated receptors in, 1093

PULSE LABELING

- experiment in, with [¹⁴C]lignoceric acid, 43

PURIFICATION

- and characterization of an extracellular lipase from *Geotrichum marinum*, 251

Q**QUINCE RUST**

- detailed sterol composition of, 763

R**RABBITS**

- development of cholesterol-induced atherosclerosis in, 611

RAFTS

- role of cholesterol in formation of special membrane domains and, 1101

RAINBOW TROUT

- induction of peroxisomal activities responsible for lower contents of eicosapentaenoic acid and docosahexaenoic acid in body lipids of fenofibrate-treated, 849

RAJI CELLS

- effects of eicosapentaenoic acid and docosahexaenoic acid on proliferation, cytokine production, and gene expression in, 857

RAMAN SPECTROSCOPY

- critical evaluation of, for analysis of fatty acid methyl esters, 407
- of clarified butter, 897

RATS

- incorporation of n-3 fatty acids into plasma and liver lipids of, and importance of background dietary fat, 545
- oxidized frying oil and peroxisome proliferator-activated receptor- α activation in two genders of, 233

REACTIVE OXYGEN SPECIES

- antioxidants effectively remove, by direct scavenging process or through modulation of other defense mechanisms, 1239

RECOMBINANT DEOXYRIBONUCLEIC ACID

- manipulating culture conditions and using, technology are means of obtaining different *Candida rugosa* lipase isoforms, 513

REDOX CATALYSIS OF CYTOCHROME C RELEASE

- may be essential for phosphatidylcholine oxidation in apoptosis, 1133

REGIOISOMERS

- differentiation of, of short-chain triacylglycerols, 915

REGIOSELECTIVITY

- reactivity and, of O-insertion reaction, 873

REGRESSION OF ATHEROSCLEROSIS

- conjugated linoleic acid isomer effects on, 611

REGULATION

- tobacco BY-2 cells are advantageous for analyzing the, of biosynthetic intermediates and final products, 723

RETINA

- role of docosahexaenoic acid in the, 1121

REVERSED-PHASE

- determination of relative amounts of positional isomers in complex mixtures of triglycerides using, high-performance liquid chromatography-tandem mass spectrometry, 273

RHAMNOLIPIDS

- biosurfactants containing rhamnose and β -hydroxydecanoic acid called, 933

RHEUMATOID ARTHRITIS

- anti-inflammatory effects of olive oil consumption have been reported for, 1223

Ricinus communis

- characterization of diacylglycerol acyltransferase from castor bean, 311
- regulation of diacylglycerol acyltransferase in developing seeds of, castor, 865

RING-OPENING REACTION

- boron trifluoride attacks oxygen atom of epoxy system and causes, 583

ROTIFER

- larval fatty acid profiles generally reflect those of, diet, 215

Ruditapes philippinarum

- fatty acid composition of serine, ethanolamine, and choline plasmalogen in, 59

- RUMENIC ACID**
constitutes 90% of total conjugated linoleic acid found in dairy and beef lipids, 577
- RUST FUNGI**
detailed sterol compositions of two pathogenic, 763
- RYE**
pearling barley and, to produce phytosterol-rich fractions, 783
- S**
- Saccharomyces cerevisiae*
expression of full-length complementary deoxyribonucleic acid for diacylglycerol acyltransferase from *Ricinus communis* in yeast, strain INVSc1, 311
- SAPONIFICATION**
hydrolysis of phytosterol conjugates by, 769
- SAPONINS**
isolation and synthesis of shark-repelling, 795
- SATURATED FAT**
in foods in the United States prior to mandatory *trans* fat labeling, 11
- SATURATED FATTY ACID DIET**
polyunsaturated fatty acid diet associated with greater weight gain than, 343
- SCHROEPFER JR., GEORGE J.**
Memorial Sterol Symposium, 701
- SEA BASS**
molecular characterization of three peroxisome proliferator-activated receptors from, 1085
- SEBOCYTES**
arise from cells within superficial hair follicle, 1093
- SEED DEVELOPMENT**
triacylglycerol composition and content during, 865
- SEED OIL(S)**
dominant sources of linoleic acid in the United States of America, 1207
fatty acid compositions of seed oils from *Origanum onites* L. and *Origanum vulgare* L., 487
Geranium sanguineum (Geraniaceae), is new source of petroselinic and vernolic acid, 571
- SEPSIS**
infusion of long-chain n-3 fatty acids into patients with, can modulate inflammatory mediator production and related inflammatory processes, 1147
- SEROLOGY**
of negative and positive human immunodeficiency virus patients in Cameroon, 753
- SEROTONIN**
frontal cortex concentrations of, in piglets, 1207
- SERUM ALBUMIN**
spectroscopic study of interaction of nigerloxin with, 173
- SERUM LIPIDS**
mechanism of conjugated linoleic acid action does not appear to involve effects on, 611
supplementation and delivery of n-3 fatty acids through spray-dried milk reduces, and liver lipids in rats, 627
- SEQUITERPENES**
as product of isoprenoid biosynthetic pathway, 293
- SHARK-REPELLING**
isolation and synthesis of, saponins, 795
- SHORT-CHAIN AND LONG-CHAIN CARDIOLIPIN**
method extended to synthesize broad range of, and their ether analogs, 595
- SHORT-CHAIN TRIACYLGLYCEROLS**
regiospecific determination of, in butterfat by normal-phase high-performance liquid chromatography with on-line electrospray-tandem mass spectrometry, 915
- SHORT-PATH DISTILLATION**
results in tocopherol concentrate, 789
- SIGNAL TRANSDUCTION PATHWAYS**
effects of polyunsaturated fatty acids on T cell, 1171
lipids in membrane microdomains actively participate in, 1163
- SILVER-ION HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY**
concentration of conjugated linoleic acid isomers determined by, 355
- SINGLE ISOTOPE**
validation of, labeled cholesterol tracer approach for measuring human cholesterol absorption, 87
- SITOSTEROL**
new phosphatidyl derivatives synthesized by transfer reaction of phosphatidyl residue from phosphatidylcholine to β -, by phospholipase D, 777
- SODIUM TAUROCHENODEOXYCHOLATE**
each mucin equilibrated with three different series of concentrations of the bile salts sodium taurocholate, sodium taurodeoxycholate, and, 51
- SODIUM TAUROCHOLATE**
each mucin equilibrated with three different series of concentrations of the bile salts sodium taurodeoxycholate, sodium taurochenodeoxycholate and, 51
- SODIUM TAURODEOXYCHOLATE**
each mucin equilibrated with three different series of concentrations of the bile salts sodium taurocholate, sodium taurochenodeoxycholate, and, 51
- SOPHROLIPIDS**
microbial extracellular surface-active glycolipids, 933
- SOY PROTEIN**
body fat-reducing activity of conjugated linoleic acid more effective when protein source was, rather than casein, 25
- SOYBEAN OIL**
lipids from methanotrophic bacteria rich in phosphatidylethanolamine reduce plasma cholesterol and classes of phospholipids: a comparison with, 833
photochemical production of conjugated linoleic acid from, 577
- SOYBEAN OIL DEODORIZER DISTILLATE**
tocopherols purified industrially from, by process comprising distillation and ethanol fractionation, 789
- SPECTROSCOPIC STUDY**
of interaction of nigerloxin with serum albumin, 173
- SPECTROSCOPY**
interaction of nigerloxin with bovine serum albumin investigated using fluorescence, and circular dichroic measurements, 173
- SPHINGOLIPID(S)**
alteration of lipid metabolism by *Pex5* yeast mutation-enhanced metabolism of saturated fatty acids and, 43
mutation in, synthesis suppresses defects in yeast ergosterol metabolism, 747
- SQUALENE-HOPENE CYCLASE**
effect of umbelliferone derivatives on the activities of, 1007
- STABLE-ISOTOPE**
four male subjects volunteered for, study, 1
- STARCH CONCENTRATE**
dairy cows received diets containing a slowly degradable or rapidly degradable, in a total mixed diet, 19
- STEERS**
dietary linoleic acid induced hypercholesterolemia and accumulation of very light high density lipoprotein in, 125
- STEREOSELECTIVITY**
high, of epoxidation, 873
of bacterial phospholipase D, 1013
temperature effect on, of phospholipase D, 1019
- STEROID(S)**
bearing ketone functionality at carbon-7 found commonly in nature, 801
dioxirane oxidation of 3β -substituted Δ^2 -, 805
fifty years with bile acids and, in health and disease, 703
of glucocorticoid class capable of causing apoptotic death of many varieties of lymphoid leukemic cells, 821
oxidation of, with oxorutheniumporphyrinate complex, 873
- STEROIDAL AGLYCONE**
synthesis of, of pavoninin, 795
- STEROIDOMICS**
detailed characterization and quantification of metabolic profiles of steroids and bile acid under different conditions may be termed, and cholanoidomics, 703

STEROL COMPOSITIONS

detailed, of two pathogenic rust fungi, 763

STEROL METHYLTRANSFERASE

antifungal activity, sterol analysis and inhibition of, by sulfur-based substrate analogs, 737

 Δ^{24} -STEROL METHYLTRANSFERASE

castor 25 albumin gene expression and, 737

STEROL REGULATORY ELEMENT BINDING PROTEIN

key mediator of gene regulation by fatty acids, 1077

STEROL SYMPOSIUM

2004 G.J. Schroepfer Jr. Memorial, 701

STEROL SYNTHESIS

and regulation in yeast, 747

STEROL(S)

and isolation and synthesis of shark-repelling saponins, 795
esterification of, from waste material after purification of tocopherols using various lipases, 789
soy lecithin granules contain significant levels of, glycosides, 769
synthesis of, 801

STERYL ESTER

short-path distillation results in tocopherol concentrate that does not contain, 789

Streptomyces

strains isolated from soil, 1013

STRIPED TRUMPETER

dietary n-3 long chain-polyunsaturated fatty acids and, body profiles, 215

STRUCTURE

and function of animal fatty acid synthase, 1045

STRUCTURED LIPIDS

of structured triacylglycerol with medium-chain fatty acids predominantly at the *sn*-1,3 positions important in nutritional support of patients suffering from malabsorption, 373

SUBMAXILLARY MUCIN

bovine, rich in short carbohydrate side chains and had considerably more binding of bile salts, 51

SULFUR-BASED SUBSTRATE ANALOGS

antifungal activity, sterol analysis, and inhibition of sterol methyltransferase by, 737

SUNFLOWER SEED OIL

effect on steers of diet supplemented with, 125

SURGERY

benefit from the inclusion of long-chain-3 fatty acids in parenteral nutrition regimens used in abdominal, patients, 1147

SYNERGISTIC RELATIONSHIP

between two lipid species, sterols and sphingolipids, 747

SYNTHESIS

efficient and novel method for, of cardiolipin and analogs, 285
isolation and, of shark-repelling saponins, 795
isolation, gas chromatographic analysis, and, of all the 6,8- to 13,15-*cis*trans conjugated linoleic acid isomers, 185
of sterols, 801

T

T CELL MEMBRANE

effects of dietary n-3 polyunsaturated fatty acids on, composition and function, 1163

T-15

immunological properties of monoclonal autoantibody, 589

TANDEM MASS SPECTROMETRY

determination of relative amounts of positional isomers in complex mixtures of triglycerides using reversed-phase high-performance liquid chromatography-, 273
method used to analyze triacylglycerol regioisomers, 373
regiospecific determination of short-chain triacylglycerols in butterfat by normal-phase high-performance liquid chromatography with on-line electrospray-, 915

TANGERETIN

regulation of apolipoprotein B metabolism by tangeretin, 143

TEMPERATURE EFFECT

on stereoselectivity of phospholipase D, 1019

TERPENOID

from medicinal plants, 933

THROMBOXANE A_2

inhibition of, formation, 433

TOBACCO BY-2 CELLS

isoprenoid biosynthesis in, 723

TOCOMONOENOL

quantification of, in palm oil, 1031

 α -TOCOPHEROL

oxidation rate of conjugated linoleic acid and conjugated linolenic acid is slowed by triacylglycerol esterification and, 475

TOCOPHEROL(S)

developmental study on appearance of, and tocotrienols in developing palm mesocarp (*Elaeis guineensis*), 561
distribution of, and tocotrienols to rat ocular tissues after topical ophthalmic administration, 469
short-path distillation results in, concentrate, 789
tocotrienol more potent antioxidant and anticancer agent than, 1031

TOCOTRIENOL(S)

developmental study on appearance of tocopherols and, in developing palm mesocarp (*Elaeis guineensis*), 561
distribution of tocopherols and, to rat ocular tissues after topical ophthalmic administration, 469
palm oil is richest source of, among all vegetable oils, 1031
recently shown that, are components of vitamin E responsible for inhibiting growth of human breast cancer cells *in vitro*, 459

TOPOISOMERASE II

first study targeting different molecular components, such as tubulin and, by fatty acid derivatives of podophyllotoxin, 659

TRANSCRIPTION

two, factors have emerged as key mediators of gene regulation by fatty acids, 1077

TRANSGENIC PLANTS

long-chain polyunsaturated fatty acid biosynthesis in, 1067

TRANSIENT CONFINEMENT ZONES

detection of, and their significance, 1115

TRANSPHOSPHATIDYLATION

effect of temperature on stereoselectivity of phospholipase D toward glycerol in, of phosphatidylcholine to phosphatidylglycerol, 1019
enzymatic synthesis of phosphatidylglycerol from phosphatidylcholine by, reaction, 777
phospholipase D-catalyzed, reaction, 1013
simple synthesis of diastereomerically pure phosphatidylglycerols by phospholipase D-catalyzed, 1025

TREHALOSE LIPIDS

occur mainly in bacteria, fungi, algae, and insects, 933

TRIACYLGLYCEROL(S)

changes in, in plasma of guinea pigs, 985
composition and content during castor seed development, 865
delayed lymphatic transport of diacylglycerol as compared with, may be important determinant in preventing accumulation of body fat, 827
determination of relative amounts of positional isomers in complex mixtures of, using reversed-phase high-performance liquid chromatography-tandem mass spectrometry, 273
effect of, structure on absorption and metabolism of isotope-labeled palmitic and linoleic acids by humans, 1
effects of two purified isomers of conjugated linoleic acid on weights and fatty acid compositions of hepatic phospholipids, cholesterol esters, free fatty acids, and, 135
major issue in plant lipid biochemistry and biotechnology is understanding of how plants assemble, 311
new approach to analysis of oxidized, in lipoproteins, 507
tangeretin-induced suppression of, synthesis and mass associated with decreased activities of diacylglycerol acyltransferase and microsomal triglyceride transfer protein, 143

TRICLOSAN

known antibiotics that target type II fatty acid synthase system include isoniazid, thiolactomycin, and, 1055

TRIGLYCERIDES (SEE TRIACYLGLYCEROLS)

Trypanosoma cruzi

- umbelliferone aminoalkyl derivatives as inhibitors of oxidosqualene cyclases from, *Saccharomyces cerevisiae*, and *Pneumocystis carinii*, 1007

TUBULIN

- first study targeting different molecular components, such as, and topoisomerase II, by fatty acid derivatives of podophyllotoxin, 659

TUMORS

- tocotrienol-rich fraction from palm oil affects gene expression in, resulting from MDF-7 cell inoculation in athymic mice, 459

TYPE 2 DIABETES

- insulin resistance and, are associated with elevated circulating levels of nonesterified fatty acids and lipoprotein remnants, 243

U

UMBELLIFERAE

- petroselinic acid is major fatty acid in seeds of plant family, 571

UMBILICAL CORD BLOOD

- gestational age and birth weight in, 617

 α,β -UNSATURATED ENONE ESTER

- structures of, identified by combination of nuclear magnetic resonance spectroscopic and mass spectrometric analyses, 583

UNSATURATION

- measurement of molar, 407
- quantification of fatty acid, 881

UPTAKE

- age-related decline in intestinal lipid, associated with reduced abundance of fatty acid-binding protein, 603
- isocaloric polyunsaturated fatty acid diet enhances lipid, and weight gain in aging rats, 343

URIC ACID

- plasma level of glucose, insulin, and, measured by radioimmunoassay, 843

V

VEGETABLE OILS

- dicarbonyl compounds in oxidized fish and, 481

VERNOLIC ACID

- Geranium sanguineum* (Geraniaceae) seed oil is new source of petroselinic acid and, 571

VERY LIGHT HIGH DENSITY LIPOPROTEIN

- dietary linoleic acid induced hypercholesterolemia and accumulation of, in steers, 125

VERY LOW DENSITY LIPOPROTEIN

- investigation of oxidized triacylglycerol molecules found in chylomicrons and, 639

VIBRATIONAL

- spectroscopy of wide range of disparate systems, 407

VIOLENCE

- dietary interventions merit exploration as relatively cost-effective measures for reducing pandemic of, in Western societies, 1207

VISCERAL FAT

- effect of diacylglycerol on body weight and, weight of rats, 37

VITAMIN E

- separation of, in palm oil, 1031

X

XANTHINE OXIDASE INHIBITOR

- allopurinol has been sole, in clinical use during past three decades, 667

YEAST ERGOSTEROL METABOLISM

- mutation in sphingolipid synthesis suppresses defects in, 747

Z

ZUCKER RAT

- effect of specific conjugated linoleic acid isomers on growth characteristics in obese, 537



